

Raj

India Autoparts Outsourcing

Division of Raj International Trading (Inc.)

New Catalog
New Parts!

Your Direct Link to India Since 1976

- Exporters
- Importers
- Distributors
- Sourcing
- Agents
- Consultants

- Drivetrain Parts
 - Differential
 - After Market Replacements
 - Racing
 - Off-Road Performance
 - Custom Made Parts
 - Heavy Duty Parts & Much More
- Details Inside!**



Custom Parts



Bearing Puller Tools



Assemblies



Chromoly 4340
Front Axles



GM 14 Bolt



Chromoly
4140 Jeep Axles



Custom Blank
Axles



F 9" Open



Assembled Cases

We Ship Worldwide • We Cater to Customers in USA, Canada, Australia & Mexico

You Import Direct • We Import
For You or Buy From Local Stocks
From USA Warehouse

Door to Door Services:
Source • Develop • Inspect • Consolidate
Export • Import • Ship to Your Door

1077 Thomas Busch Memorial Hwy - Pennsauken - NJ 08110
P.O. Box 1572, Mount Laurel, NJ 08054 USA
360-658-1855 • Info@RajIndiaAutoparts.com • www.RajIndiaAutoparts.com

Welcome to **Raj's** New Differential Parts Specialty Catalog. Your Direct Source for India Products & Services Since 1976.

First, to our Valuable Customers:

We would like to express our sincerest gratitude for your continued support.

We look forward to continuing to serve you in the future.

Raj India Autoparts is one of the leading Importers, Distributors & Sourcing Agents of After Market Automotive Parts. Specializing in Drivetrain Parts. Servicing many Leading Companies and small Wholesalers and Manufacturers.

How We Can Add Value to Your Business:

We stock a large selection of parts in our USA Warehouse for Immediate Deliveries.

- Importers: No need to Import when you can buy Locally at almost Direct Import Prices.
- Importers can buy from our Local Stocks to Fill in & avoid Runouts and Sale.
- Your partial LCL shipments can also be consolidated in our containers.
- Save on Inventory cost. Importers don't have to buy huge Quantities from Manufacturers.
- Our Discounted Low Prices are structured specially for Importers and Distributors.
- Direct Importers seeking New Products or New Manufacturers, we can work as Sourcing Agents.
- Quality and Satisfaction Guaranteed.
- Our Parts do not have any Company or Brand Name Imprinted.



We Assure You of Prompt, Professional, Honest, Reliable and Friendly Service.

All we ask is that you give us an opportunity to prove ourselves by providing you a quote and try our service, you will come to know the difference in dealing with **Raj**.

You pay for our Services after you have received the products and are satisfied with the Products & our services. Proven Track Record Since 1976.

Disclaimer: We sell Aftermarket Replacement Parts.

We are NOT affiliated with any major Manufacturers & Brand names mentioned in this catalog. Names and #s are mentioned for reference only.

Lockers Assembled Differential Cases with Internals

Make	Raj #	OEM #	DESCRIPTION / APPLICATION
DANA	39043-A		Dana 60 Loaded Open Case - 30 splines, Assembled with Internal kits.
FORD	39008-A-28	F 900501	Ford 9" Assembled CARRIER CASE F 900501 28 splines, Posi Trac Loc carrier case
FORD	39036-A	706040X	Dana 60 Loaded case, Low ratio series, 30 splines, with Internals. Assembled
FORD	39040-28	F 9 Open	FORF9" CARRIER CASE OPEN LOADED-28
FORD	39040-31	F 9 Open	FORF9" CARRIER CASE OPEN LOADED-31
FORD	39044-A	9L3Z4026F	Ford 9.75", Loaded Limited Slip Diff., 34 Splines, Trac-Loc, Plate Clutch. Assembled
GM	39045-A	26018131	GM 8.25", Loaded, Carrier Case, 28 splines 3.42 - 5.13 gear ratios; '88 & up Assembled
GM	40001-A		GM 8.6 Diff Case with Internal Kits Loaded Assembled



F 9" Open Loaded (39040)

Differential Carrier Cases

Note: Carrier Cases Do Not Include Lock Bolts.

Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Type	Matching Kit Part #
CHRYSLER					
CHY	39004	DAN 22865 X	Chrysler 8.75", 30 spline, Power loc carrier case	Bare Posi	38005
CHY	39033		Chrysler 9.25" Posi Diff Case	Bare Posi	38004
CHY	39055	C8-25E	Chrysler 8.25 Diff. Case	Bare Posi	38001
DANA					
DANA	39001	DAN 21252 X	Dana 44, 30 spline, 3.92 and up, Power Loc carrier case 3.92 & up	Bare Posi	38007
DANA	39002	DAN 21251 X	Dana 44, 30 spline, 3.73 & lower, Power Loc carrier case 3.73 & down	Bare Posi	38007
DANA	39003	DAN 71747 X	Dana 50, 30 spline, Power loc carrier case	Bare Posi	38005
DANA	39006	DAN 706174 X	Dana 60, 4.10 & down, 30 & 35 spline, Power loc carrier case	Bare Posi	38005 & 38006
DANA	39007	DAN 706175 X	Dana 60, 4.56 & up, 30 & 35 spline, Power loc carrier case	Bare Posi	38005 & 38006
DANA	39031	706007-X	Dana 30 Open Case, 1.18 in. Dia.; 27 Spline; Empty; 3.54 Ratio And Down For CJ5/CJ7; 3.55 Ratio And Down For ZJ/TJ/XJ/WJ	Bare	38071
DANA	39032	706008-X	Dana 30 Open Case, FORD 06-'10 Explorer, JEEP 99-'06 Wrangler TJ, 78-'83 CJ5/CJ7, 82-'87 CJ7/CJ8, 86-'91 Wrangler YJ. For: 3.73 Ratio and Numerically-Higher R&P Gears	Bare	
DANA	39034	707097-4X	Dana 60 Trac Loc Posi Case 4.56 & Up ratio, 35 spline	Bare	38090
DANA	39035	706040X	Dana 60 Open Case, Low ratio series	Bare	38083
DANA	39041	74326-X	Dana D70 Carrier Case 4.10 & down	Bare	38006-32/35
DANA	39042	74624-X	Dana D70 Carrier Case 3.92 & up	Bare	38006-32/35
FORD					
FORD	39008	F 900501	Ford 9", 28 & 31 spline, 2 or 4 pinion, 4-tab clutch, Trac Loc carrier case	Bare Posi	38029 & 38030
FORD	39009	F 800501	Ford 8", 28 & 31 spline, 2 or 4 pinion, 4-tab clutch, Trac Loc carrier case	Bare Posi	38029 & 38030
FORD	39010	F 880502	Ford 8.8", 31 spline, 0.875" cross pin diameter, carrier case	Bare Std.	38011
FORD	39016	F 8.8-28	Ford 8.8" 28 spline Eaton/Duragrip style carrier case	Bare Posi	38010
FORD	39017	F 8.8-31	Ford 8.8" 31 spline Eaton/Duragrip style carrier case	Bare Posi	38009
FORD	39040	F 9	Ford 9" Carrier Case Open	Bare Posi	38030-28/31-N
FORD	39046	F 9.75	Ford 9.75" Posi Track lock Carrier Cases empty	Bare Posi	38079
FORD	39050	E7TZ-4204A	Ford Mustang Diff Case (75")	Bare Posi	38013
GM					
GM	39005	GM 55-P/L-CA	GM 55P, '55-'64, 3.70 & Down, Power loc carrier case	Bare Posi	38034
GM	39011	GM 26010481	GM 10bolt, 8.5", 2.73 & up, 28 & 30 spline small Bearing size	Bare Std.	38025 & 38016
GM	39012	GM 26010481-XHD	GM 10bolt, 8.5" Heavy Duty, larger bearing size, 2.73 & up, 28 & 30 spline	Bare Std.	38025 & 38016
GM	39013	GM 6258086	GM 12bolt Truck, 3.73 to 5.57 ratio, carrier case	Bare Std.	38026
GM	39014	GM 6258088	Gm 12bolt Truck, 2.76 to 3.08 ratio, carrier case	Bare Std.	38026
GM	39018	GM 75	GM 75 & 7625, 26&28 spline Eaton/Duragrip style carrier case	Bare Posi	38018 & 38019
GM	39019	GM8.5P-3	GM 10bolt, 8.5", 2.73 & up, 28 & 30 spline, Eaton/Duragrip style carrier case	Bare Posi	38016 & 38017
GM	39020	GM 12P-3	GM 12bolt Passenger, 3.08-3.90, 30&33 spline Eaton/Duragrip style carrier case	Bare Posi	38014 & 38015
GM	39021	GM 12P-4	GM 12bolt Passenger, 4.10 & up, 30&33 spline Eaton/Duragrip style carrier case	Bare Posi	38014 & 38015
GM	39022	GM 12T-3	GM 12bolt Truck, 2.76 to 3.42, 30 spline Eaton/Duragrip style carrier case	Bare Posi	38014 & 38015
GM	39023	GM 12T-4	GM 12bolt Truck, 3.73 & Up, 30 spline Eaton/Duragrip style carrier case	Bare Posi	38014 & 38015
GM	39024	GM 8.2-3	GM 8.2", 3.08 & Up, Eaton/Duragrip style carrier case	Bare Posi	38031
GM	39025	GM 8.2 BOP	GM 8.2" Buick Olds Pontiac, 3.31 & Up, Eaton/Duragrip style carrier case	Bare Posi	38032
GM	39026	GMVET-3	GM Cast Iron Vet, 3.08-3.90, Eaton/Duragrip style carrier case	Bare Posi	38033
GM	39027	GMVET-4	GM Cast Iron Vet, 4.10 & up, Eaton/Duragrip style carrier case	Bare Posi	38033
GM	39037		GM 8.5, 8.6 & 8.625, 30 Splines, 1999 & up	Bare Posi	38037
JEEP/TOYOTA					
JEEP	39000	AMC M20	AMC M20 case (contact for carrier break series) carrier case	Bare Std.	38078
TOYO	39015	TOY 35020	Toyota V6, 30 spline, carrier case	Bare Std.	38028



CHY 8.75 (39004)



Dana 44 (39002)



Dana 60 (39007)



F 9" (39008)



AMC M20 (39000)

Spider Gear Internal Kits For Carrier Cases

Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Spline	Model	Type
CHRYSLER						
CHY	38000	C725-S-25	Chrysler 7.25", 25 spline	25	7.25"	Std. Open
CHY	38001	C8.25-S-27	Chrysler 8.25", 27 spline - '96 and older	27	8.25"	Std. Open
CHY	38003	C8.25-S-29	Chrysler 8.25", 29 spline - '97 and newer	29	8.25"	Std. Open
CHY	38004	C9.25-S-31	Chrysler 9.24", 31 spline	31	9.25"	Std. Open
CHY	38079		Chrysler Spider gear Posi Kit 9.75 34 spline	34	9.75"	
DANA						
DANA	38005	D60-P/L-30	Dana 60, Power Lok, 30 spline (no clutches)	30	D60	Posi
DANA	38006	D60-P/L-35	Dana 60 & 70, Power Lok, 35 spline (no clutches)	35	D60/70	Posi
DANA	38007	D44-P/L-30	Dana 44 and Chrysler 8.75" Power lok, 30 spline, internals (no clutches)	30	D44/8.75"	Posi
DANA	38008	D50-S-30	Dana 50 IFS, 30 spline	30	D50	Std. Open
DANA	38006-30		Dana 60 & 70, P/L kit, 30 spline (no clutches) / SPIDER GEAR KIT D60	30	D60/D70	
DANA	38006-30-0		Dana 60 & 70, OPEN CASE kit, 30 spline (no clutches) / SPIDER GEAR KIT D60	30	D60/D70	
DANA	38006-32		Dana 70, Power Lok, P/L - 32 spln / SPIDER GEAR KITS (FITS CASE 38070-32)	32	D70	
DANA	38006-35	D60-P/L-35	Dana 60 & 70, Power Lok, 35 spline (no clutches) / SPIDER GEAR KIT D60-P/L-35	35	D60/D70	
DANA	38007-NB	D44-P/L-30	Dana 44 Power Lok, 30 spline, internals (no clutches)/SPIDER GEAR KIT D44-P/L-30	30	D44	
DANA	38040	707247XR	Dana 35, 27 Spline Spider, Std	27	D35	
DANA	38071	706010X	Dana 30 SPIDER GEAR KIT Splines -27	27	D30	
DANA	38074	707321-X	Dana 30 spider gear kit 27 spline	27	D30	
DANA	38075	706027XR	Dana 44 SPIDER GEAR KIT D44-S-30 for open case	30	D44	
DANA	38077	706027-X	Dana 44 SPIDER GEAR KIT D44-30SPL	30	D44	
DANA	38083	706043XR	Dana 60 Spider Kit, 30 SPL OPEN FF ONLY	30	D60	
DANA	38087	706058XR	Dana D60/D70 Spider kit 35 SPL OPEN	35	D60/D70	
DANA	38090		Dana 60 Spider Kit for D60 Trac Loc Posi Case 4.56 & Up ratio, 35 spline	35	D60	
DANA	38091	707321X	Dana 35 Spider Kit D35 27 Spline 1.56" JOURNAL SMALL HUB STD IPK	27	D35	
DANA	38806		Dana 60/D70 35 SP P/L IPK	35	D60/D70	
FORD						
FORD	38009	F8.8-P-31	Ford Fit's Eaton and Duragrip style spring posi's. Ford 8.8", 31 spline	31	8.8"	Posi
FORD	38010	F8.8-P-28	Ford Fit's Eaton and Duragrip style spring posi's. Ford 8.8", 28 spline	28	8.8"	Posi
FORD	38011	F8.8-S-31	Ford 8.8", 31 spline, 0.875" diameter cross pin	31	8.8"	Std. Open
FORD	38012	F10.25-S-35	Ford 10.5", 35 spline	35	10.5"	Std. Open
FORD	38013	F7.5-S-28	Ford 7.5", 28 spline, Notched cross pin	28	7.5"	Std. Open
FORD	38029	F 9"-T/L-28	Ford 8" & 9" Trac Loc, 4 pinion, 28 spline (less Clutches, springs & roll pins) kit	28	8"/9"	Posi
FORD	38030	F 9"-T/L-31	Ford 8" & 9" Trac Loc, 4 pinion, 31 spline (less clutches, springs & roll pins) kit	31	8"/9"	Posi
FORD	38029-28	F9"-T/L-28	Ford 8" & 9" Trac Loc kits, 4 pinion, 28 spline (less springs and roll pins)	28	8"/9"	
FORD	38029-28 N	F9"-S-28	Ford NON POSI 9" Internal KIT 28 SPL	28	8"/9"	Std. Open
FORD	38030-31		FORD: 8" & 9" Trac Loc, 4 pinion, 31 spline (less springs and roll pins)	31	8"/9"	
FORD	38030-31 N	F9"-S-31	Ford NON POSI 9" Internal KIT 31 SPL	31	8"/9"	Std. Open
FORD	38086		Ford Spider Kit 9.75" 34 SPL OPEN	34	9.75"	
GM						
GM	38014	GM12P-P-30	GM 12bolt Passenger and Truck, 30 spline, 0.806 dia cross pin for Eaton LSD and Duragrip style posi's	30	12P/12T	Posi
GM	38015	GM12P-P-33	GM 12BOLT PASSENGER AND TRUCK, 33 SPLINE, 0.806 DIA CROSS PIN FOR EATON LSD AND DURAGRIP STYLE POSI'S	33	12P/12T	Posi
GM	38016	GM8.5-P-28	GM 10bolt, 8.5", 28 spline for Eaton LSD and Duragrip style posi's	28	8.5"	Posi
GM	38017	GM8.5-P-30	GM 10bolt, 8.5", 30 spline for Eaton LSD and Duragrip style posi's	30	8.5"	Posi
GM	38018	GM7.5-P-28	GM 7.5" & 7.625", 28 spline, Eaton LSD and Duragrip style posi's	28	7.5"	Posi
GM	38019	GM7.5-P-26	GM 7.5" & 7.625, 26 spline, Eaton LSD and Duragrip style posi's	26	7.5"	Posi
GM	38020	GM14T-S-30	GM 10.5" 14bolt Truck, 1.5" 30 spline	30	14T	Std. Open
GM	38021	GM7.5-S-26	GM 7.5", 26 spline, early style, large window	26	7.5"	Std. Open
GM	38022	GM55P-P/L-17	GM 55 passenger, Power Lok, 17 spline	17	55P	Posi
GM	38023	GM8.5-S-28	GM 10bolt, 8.5" 28 spline	28	8.5"	Std. Open
GM	38024	GM7.625-S-28	GM 7.625", 28 spline, late style, large and small window	28	7.6"	Std. Open
GM	38025	GM8.5-S-30	GM 10bolt, 8.5", 30 spline	30	8.5"	Std. Open
GM	38026	GM12-S-30	GM 12bolt passenger and truck, 30 spline	30	12T/12P	Std. Open
GM	38027	GM8.2-S-28	GM 8.2", 28 spline	28	8.2"	Std. Open
GM	38031	GM 8.2-P-28	GM 8.2", 28 spline for Eaton LSD and Duragrip style posi's	28	8.2"	Posi
GM	38032	GM 8.2-BOP-28	GM 8.2" Buick, Olds & Pontiac, 28 spline	28	8.2BOP	Std. Open
GM	38033	GM VET-P-17	GM Cast Iron Vet, 17 spline, for Eaton LSD and Duragrip style posi's	17	CI VET	Posi
GM	38034	GM 55P-S-17	GM 55 passenger, '55-'64, 17 spline	17	55P	Std. Open
GM	38035	GM 9.5-S-33	GM 9.25" and 9.5" IFS, 33 spline	33	9.5"	Std. Open
GM	38014-0	GM12-S-30	GM 12bolt Passenger & Truck, 30 spline, SPIDER GEAR KIT Open w/ 2Lrg. washers	30	12"	
GM	38037	GM 8.6BI	GM 10, 8.6, 30 spline SPIDER GEAR KIT	30	10"	
GM	38072	GM 11.52	GM 11.52 kit, 30 Splines SPIDER KIT-AAM	30	11.52	
GM	38082	GM 8.6	GM 8.6" 30 SPL OPEN '99-'00	30	8.6"	
JEEP/TOYOTA						
JEEP	38078	AMC-20	AMC Spider Gear Kit for AMC20-Carrier Cases SPIDER KIT 29 SPL	29	AMC	
TOYO	38028	TV6-S-30	Toyota V6, 30 spline	30	TV6	Std. Open



CHY 8.25 (38001)



Dana 60 (38006)



Ford 8.8 (38011)



(38037)



GM 8.6 (38075)



Dana 60/70 (38087)

Miscellaneous Differential Kit Parts

Make	Category	Raj #	OEM #	DESCRIPTION / APPLICATION
FORD	CLUTCH GUIDE	38405		Ford Clutch Guide for Ford 8 & 9" TL kit part
GM	CLUTCH GUIDE	42000	GM 9778355	GM Clutch guide for Eaton LSD and DuraGrip style positraction units.
FORD	CLUTCH HUB	38402-28	C90Z4946B	Ford Clutch Hub for Ford 8 & 9" TL kit part 28 SPLINE
FORD	CLUTCH HUB	38402-31		Ford Clutch Hub for Ford 8 & 9" TL kit part 31 SPLINE
DANA	CLUTCHE PLATES	38107	22233X	Dana 44 CLUTCHES SET(SET OF 10 - 4 PLAIN, 2 curved, 4 WITH TEETH
DANA	CLUTCHE PLATES	38108	707075X	Dana 60 CLUTCHES SET (SET OF 10) D-60/70 4 PLAIN, 2 curved 4 WITH TEETH
FORD	CLUTCHE PLATES	38101	C80Z4A325B	Ford: Clutch plate For Ford 9" -Diff. 1 SIDE Carbon + 1 side steel (COMBINATION)
FORD	CLUTCHE PLATES	38102	C80Z4945B	Ford: Clutch plate For Ford 9" -Diff. Carbon (double sided)
FORD	CLUTCHE PLATES	38103	C80Z4947A	Ford: Clutch plate For Ford 9" -Diff. Steel
FORD	CLUTCHE PLATES	38104		Ford 9" Clutch Pack set of 9 (38101- 1 pc+38102-4 pcs +38103-4 pcs)
CHY	CROSS PIN	38413		Chrysler: Cross Pin for 8.25 (8 1/4) diff. Cross Pin 8.25 27 SPLINE
FORD	CROSS PIN	38412	E7TZ4211A	Ford F8.8" CROSS PIN (7/8" DIA) CROSS PIN 8.8 31 SPLINE
FORD	PINION GEAR	38401		Ford Pinion Gear for Ford 8 & 9" TL kit part 31 SPLINE
FORD	PINION GEAR WASHER	38408	C90Z4230A	Ford Pinion Gear Washer for Ford 8 & 9" TL kit part
FORD	PINION GEARS	38401		Ford Pinion Gear For 9" and 8" *T/L KIT requires 4 PCS
FORD	ROLL SPLIT PINS	38300-N		Ford: Roll Split Pins, Blk Plain - SIZE 1/4" X 1 1/2" for 9" Cases
CHY	SHAFT	38419		Chrysler Shaft only FOR 9.25 Spider Kit 38004
FORD	SHAFT	38409	B7AZ4211A	Ford Long X / Pin Shaft for Ford 8 & 9" TL kit part
FORD	SHAFT	38410		Ford Short X / Pin Shaft for Ford 8 & 9" TL kit part
DANA	SIDE GEAR	38416-35		Dana: D-60 Non Power Lock 35 Spline side gear
FORD	SIDE GEAR	38406-28		Ford Side Gear 28 SPL With Boss for Ford 8 & 9" TL kit part
FORD	SIDE GEAR	38406-31	C80Z4236A	SIDE GEAR 31 SPL With Boss for Ford 8 & 9" TL kit part
FORD	SIDE GEAR	38407-28		Ford Side Gear WITHOUT BOSS-28 SPL
FORD	SIDE GEAR	38407-31		Ford Side Gear 31 SPL Without Boss for Ford 8 & 9" TL kit part
FORD	SPRING	38200		Ford 8" & 9" Springs For Posi Diff Cases
FORD	SPRING PLATE	38404	C80Z4326A	Ford Spring Plate for Ford 8 & 9" TL kit part
FORD	WASHER	38403	C90Z4228A	Ford Side Gear Washer for Ford 8 & 9" TL kit part
FORD	X PIN BLOCK	38400		Ford X - Pin Block for Ford 8 & 9" TL kit part



Dana 60 (38108)



Ford 9" (38401)

Shims / Shim Kits



Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Pcs/Set
CHY	43249	1108	Chrysler 8.75 (for 742 style Housing) SHIM KIT SET OF 6 ID- 1.76" , OD- 2.31"	6
DANA	43204	SSM35	Dana 35 M35 / EA. SET INCLUDES-2 STEP WASHERS, 2 PLAIN WASHERS, 24 SHIMS	24
DANA	43206	D44	Dana 44 Shim Rubicon set of 15	15
DANA	43212	DAN706087X	Dana: 19 pc set, Replacement carrier shim kit for Dana 30 & 44 w/19 spline axles, ID-1.755" , OD-2.315"	19
DANA	43217	SK30276	Dana: 17 pcs set , Replacement Carrier shim kit for Dana 60, 70, 70HD, 70U & 80, ID- 2.335", OD- 2.842"	17
DANA	43243	1114	Dana D30 D44 D50 style SHIM WASHERS SET OF 6 ID 1.14" , OD- 1.44"	6
DANA	43250	1118	Dana D60,D70 Design SHIM KIT SET OF 5 ID- 1.27" , OD 1.63"	5
DANA	43251	1106	Dana D60-D80 Style SHIM WASHERS SET OF 10 ID-2.32" - OD- 2.84"	10
DANA	43253	1116	Dana 27 ,D30 Reverse SHIM KIT SET OF 12 ID- 1.76" , OD- 2.31"	12
DANA	43254	1103	Dana 28, D30 JK Reverse SHIM KIT SET OF 8 ID- 1.68" ,OD- 2.25"	8
FORD	43202	SSF10.25	Ford: 10.25" /10.5 SET INCLUDES-2 STEP WASHERS, 2 PLAIN WASHERS, 24 SHIMS	24
FORD	43205	SSF9.75	Ford: 9.75" / EA SET INCLUDES-2 STEP WASHERS, 2 PLAIN WASHERS, 24 SHIMS	24
FORD	43209	F9"	Ford SHIMS FOR TL 8-9" .005" THICKNESS	20
FORD	43210	F9"	Ford SHIMS FOR TL.8-9" .010" THICKNESS	20
FORD	43211	F9"	Ford SHIMS FOR TL 8-9" .02" THICKNESS	20
FORD	43216	SKF9	Ford: 6 pcs set , Pinion depth shims for Ford 9", Holes: 5, hole diameter 0.4"	6
FORD	43237	F75Z4214AB	Ford Spring Cup Washer	5
FORD	43241	1136	Ford 8.8, Ford 9.75, Diff Shim Kits SET OF 5 ID- 2.07" - OD -2.79" .	5
FORD	43260	SSF8.8	Ford Super Shims 2015 + F 8.8 Carrier Shims set of 28	28
GM	43200	SS10	GM 75" F, 75" GM, 8.2", 8.5", 10 Bolt / Ea. Set Includes-2 Step Washers, 2 Plain Washers, 24 Shims	24
GM	43201	SS12	Ford 8.8" F,12P, 12T, 8.6" GM 12 Bolt / Set Includes-2 Step Washers, 2 Plain Washers, 24 Shims	24
GM	43203	SSGM9.5	GM: 9.5" GM / EA. SET INCLUDES - 2 STEP WASHERS, 2 PLAIN WASHERS, 24 SHIMS	24
GM	43218	SKGM14T	GM: 5 pcs set ,Pinion depth shims for GM 10.5" 14 Bolt truck - This kit contains one each of the following thickness shims: .010", .011", .013", .015", .017" & .019"	5
GM	43235	GM 9.5	GM 9.5 Pinion Depth Shim Kit set / 8	8
MISC. SHIM KITS				
AAM	43252		AAM 11.5 ,D70 ,GM 11.5, SET OF 8 ID- 3.66" , OD- 4.11"	8
MULTIPLE	43236	1102	Chrysler Chy 8.75 (489),9.25, F 10.25, 10.50 GM 9.25 Shim Kit set of 6	6
MULTIPLE	43238		SHIMS - 20 pcs pack / 80 pcs/Box Thickness - .010" - .25mm Inner Dia - 2.32" - 59.32 mm Outer Dia - 3.59" - 92.47 mm (Price per 20 pcs set)	20
MULTIPLE	43256	1100	Chrysler 8.5, Dana 205, F 7.5, GM 8.875 & more Shim Kits washers set of 10	10



Dana 44 (43206)



Dana 30/44 (43212)



Ford 9" (43216)



Multi Use (43238)



Ford 8.8 (43260)

Front Axles and Yokes

All Front Axles are 4340 Chromoly Steel & Black Oxide Finish



Ford Bronco (36121)

Dana 44 (36104)

Make	Raj #	OEM #	Other Ref #'s	DESCRIPTION / APPLICATION	Splines	Length	Side	Type	Ring Gear	U-joint
BLANKS										
BLANK	36132		10440	Inner Axle - Blank Inner Shaft	--	22.0		Inner	D-44	5-760X
BLANK	36133		10441	Inner Axle - Blank Inner Shaft	--	39.0		Inner	D-44	5-760X
BLANK	36134		10600	Custom Short Side Inner	--	22.0	Short	Inner	D-60	5-733X
BLANK	36135		10601	Custom Long Side Inner	--	39.0	Long	Inner	D-60	5-733X
BLANK	36529	-	W61553	Blank 297X Front Inner w/o splines-4340		22.3	-	Blank	D30 & D44	-
BLANK	36530	-	W61554	Blank 297X Front Inner w/o splines-4340		36.5	-	Blank	D30 & D44	-
BLANK	36533	-	W81555	Blank 332X Front Inner w/o splines-4340		22.0	-	Blank	D-60	-
BLANK	36534	-	W81556	Blank 332X Front Inner w/o splines-4340		38.0	-	Blank	D-60	-
BLANK	36544	-	W81556X	Blank 332X Front Inner w/o splines-4340		42.0	-	Blank	D-60	-
BLANK	36554		D71556	Blank 332X Front Inner w/o splines-1541		38.0	-	Blank	D-60	-
BLANK	36555		D71555	Blank 332X Front Inner w/o splines-1541		22.0	-	Blank	D-60	-
BLANK	36570		D51553	Blank 297X Front Inner w/o splines-1541		22.3	-	Blank	D30 & D44	-
BLANK	36571		D51554	Blank 297X Front Inner w/o splines-1541		36.5	-	Blank	D30 & D44	-
BLANK	36135-26			Blank Custom Spline, Dana 60, Yoke blank. Length: 26"		26.0		Blank	D-60	
CHRYSLER										
CHY	36546	660182-1	D660182-1	Chrysler / Dodge 79-93 1/2 RH& FORD 85-88 LH	35	16.0	RH & LH	Inner	D-60	5-733X
DANA										
DANA	36515-B			Dana 44 FORD: 71-77 Bronco, Black Finish, Splines: 30, Length: 27.95", Side: R, Yoke Shaft: Inner	30	28.0	RH	Inner	D44	
DANA	36170		AXND44JK -4340L	Dana 44 Front Inner Axle 37 inch Blank No Splines 1350 Ujoint Inner 4340 Blk Chromoly	Blank	37.0		Inner	D44	
DANA	36514-B	27902-1X	10105	Dana 44 GM/FORD: 69-80, 71-77 Bronco, Black Oxidized,, Splines: 30, Length: 18.39", Side: L, Yoke Shaft: Inner	30	18.4	LH	Inner	D-44	
DANA	36515	-	W38810	Ford: 71-77 Bronco, Dana 44, Black Finish, Dana 44. Splines: 30, Length: 27.95", Side: R, Yoke Shaft: Inner	30	28.0	RH	Inner	D-44	5-760X
DANA	36169		AXND44JK -4340	Dana 44 Front Inner Axle 22 inch Blank No Splines 1350 Ujoint Inner 4340 Blk Chromoly	Blank	22.0		Inner	D-44	
DANA	36136-30		10750	Dana 60, Chromo. Splines: 30, Yoke Shaft: Outer	30	12.0		Outer	D60	
DANA	36531	3-82-871	10650	Dana 60 GM: 77-91 GM, 77-93 Dodge, Chromo, Splines: 35, Length: 11.97, Side: L/R, Yoke Shaft: Outer	35	12.0	RH & LH	Outer	D60&D70	5-733X
DANA	36535		W46105	Dana 60/70 GM: 77-91 GM, 77-93 Dodge, Splines: 30, Length: 12.03", Side: L/R, Yoke Shaft: Outer	30	12.0	RH & LH	Outer	D60&D70	5-733X
FORD										
FORD	36511	-	W38806	Ford: 67-71 Bronco. Splines: 27, Length: 18.44", Side: L, Yoke Shaft: Inner	27	18.4	LH	Inner	D-30	5-760X
FORD	36512	-	W38807	Ford: 67-71 Bronco. Splines: 27, Length: 28.07", Side: R, Yoke Shaft: Inner	27	28.1	RH	Inner	D-30	5-760X
FORD	36102		10106	Ford: 71-77 Bronco, Dana 44, Chromoly. Splines: 30, Length: 27.940", Side: R, Yoke Shaft: Inner	30	27.940"	RH	Inner	D-44	5-760X
FORD	36103		10107	Ford: 68-79 F-150, 78-79 Bronco, Dana 44,, Chromoly, Splines: 30, Length: 33.910", Side: R, Inner	30	33.910"	RH	Inner	D-44	5-760X
FORD	36113	27902-4X	10118	Ford: 68-79 F-150/78-79 Bronco, Chromo, Dana 44. Splines: 30, Length: 18.910", Side: L, Yoke Shaft: Inner	30	18.910"	LH	Inner	D-44	5-760X
FORD	36121	620200	10126	Ford: 71-79 Bronco, F150, Black, Dana 44. Splines: 19, Length: 9.728", Side: L/R, Yoke Shaft: Outer Shaft	19	9.728"	RH & LH	Outer	D-44	5-760X
FORD	36156		10134	Ford: 68-79 F-250, Dana 44. Splines: 30, Length: 34.75", Side: R. Yoke Shaft: Inner	30	34.8	RH	Inner	D-44	5-760X
FORD	36155		10135	Ford: 68-79 F-250, Dana 44. Splines: 30, Length: 18.625", Side: L, Yoke Shaft: Inner	30	18.625"	LH	Inner	D-44	5-760X
FORD	36522	-	W39144	Ford: 79-85 Bronco, F150. Splines: 30, Length: 33.94", Side: R, Yoke Shaft: Inner	30	33.9	RH	Inner	D-44	5-760X
FORD	36566	-	W38817	Ford: 77-78 F250. Splines: 19, Length: 10.68", Yoke Shaft: Outer Front	19	10.7	-	Outer	D-44	5-760X
FORD	36104		10108 / W38808	Ford: 73-80 Scout, Chromo, Dana 44. Splines: 30, Length: 14.780", Side: R, Yoke Shaft: Inner	30	14.780"	RH	Inner	D-44	5-760X
FORD	36114		10119 / W38790	Ford: 73-80 Scout, Chromo, Dana 44, Splines: 30, Length: 32.910", Side: L, Yoke Shaft: Inner	30	32.910"	LH	Inner	D-44	5-760X

Front Axles and Yokes

All Front Axles are 4340 Chromoly Steel & Black Oxide Finish

Jeep Dana 30 (36116)

Jeep Wagoneer (36122)



Make	Raj #	OEM #	Other Ref #'s	DESCRIPTION / APPLICATION	Splines	Length	Side	Type	Ring Gear	U-joint
FORD	36514	27902-1X	W38809	Ford : 69-80, 71-77 Bronco, Black Oxidized, Dana 44 Splines: 30, Length: 18.39", Side: L, Yoke Shaft: Inner	30	18.4	RH	Inner	D-44	5-760X
FORD	36137		10651	Ford: 78-79 F150, Chromo, Dana 60. Splines: 35, Length: 11.4", Side: R/L, Yoke Shaft: Outer	35	11.4	RH & LH	Outer	D-60	5-733X
FORD	36141	660182-1	10662	Ford: 83-91 Super Duty, 79-93 Dodge, Chromo, Dana 60. Splines: 35, Length: 15.98", Side: L, Yoke Shaft: Inner	35	15.980"	LH	Inner	D-60	5-733X
FORD	36142	660182-11	10663	Ford: 78-79, Chromo, Dana 60. Splines: 35, Length: 18.68", Side: L, Yoke Shaft: Inner	35	18.680"	LH	Inner	D-60	5-733X
FORD	36143	660182-10	10664	Ford: 78-79, Chromo, Dana 60. Splines: 35, Length: 34.56", Side: R, Yoke Shaft: Inner	35	34.560"	Long	Inner	D-60	5-733X
FORD	36144	660182-36	10665	Ford: 83-91 Super Duty, Chromo, Dana 60. Splines: 35, Length: 36.68", Side: R, Yoke Shaft: Inner	35	36.680"	RH	Inner	D-60	5-733X
FORD	36537	76660-1X	W48204	Ford F35088 1/2-98 LH	35	16.2	LH	Inner	D-60	5-733X
FORD	36552	76660-2X.	D76660-2X	Ford: 88 1/2-98. Splines: 35, Length: 36.97", Side: R, Yoke Shaft: Inner	35	37.0	RH	Inner	D-60	5-733X
FORD	36559	-	W46103	Ford: 88-99 F350, Dana 60, (Circlip at Spline Start). Splines: 30, Length: 11.38", Yoke Shaft: Outer	30	11.4	-	Outer	D-60	5-733X
FORD	36560	-	W46104	Ford: 77-88 (Circlip at Spline End). Splines: 30, Length: 11.38", Yoke Shaft: Outer	30	11.4	-	Outer	D-60	5-733X
FORD	36600		MG20652BS	Ford: Dana 60, Chromo 4340. Splines: 35, Length: 9.39", Side: same, Yoke Shaft: Outer. (with collar)	35	9.4		Outer	D-60	
FORD	36547	76660-1X	D76660-1X	Ford: 88 1/2-98. Splines: 35, Length: 16.17", Side: L, Yoke Shaft: Inner.	35	16.2				
GM										
GM	36111-30		10115	GM: 77-87 1/2, 3/4 Ton, 10 Bolt. Splines: 30, Length: 35.460", Side: R, Yoke Shaft: Inner	30	35.460"	LH	Inner	8.5	5-760X
GM	36111-28	-	10115 / W39253	GM: 77-87 1/2, 3/4 Ton, 10 Bolt. Splines: 28, Length: 35.460", Side: R, Yoke Shaft: Inner	28	35.5	LH	Inner	8.5	5-760X
GM	36126-30		10132	GM: 77-87 1/2, 3/4 Ton, 10 Bolt, Chromo. Splines: 30, Length: 19.15", Side: L, Yoke Shaft: Inner	30	19.150"	RH	Inner	8.5	5-760X
GM	36523	-	W39252	GM: Truck, 78-88 K10, K20, 79-up Blazer. Splines: 28, Length: 19.15", Side: R, Yoke Shaft: Inner	28	19.2	RH	Inner	8.5	5-760X
GM	36101		10105	Ford: 68-79 F-150, 78-79 Bronco, 73-78 GM 1/2 Ton, Chromoly, Dana 44. Splines: 30, Length: 18.310", Side: R, Yoke Shaft: Inner	30	18.310"	RH	Inner	D-44	5-760X
GM	36112	27902-2X	10116	GM: 73-78 1/2 Ton. Chromo, Dana 44. Splines: 30, Length: 36.130", Side: L, Yoke Shaft: Inner	30	36.130"	LH	Inner	D-44	5-760X
GM	36122	41677	10127 / W38815	GM: Wagoneer, Chromo, Dana 44. Splines: 19, Length: 9.92", Side: L/R, Yoke Shaft: Outer	19	9.920"	RH/LH	Outer	D-44	5-760X
GM	36568	41667	D41667	GM: 69-88 Blazer, Wagoneer; disc (Also fits FORD). Splines: 19, Length: 9.93", Yoke Shaft: Outer	19	9.9	-	Outer	D44 & 8.5	5-760X
GM	36139	660182-5	10660	GM: 78-91, Chromo, Dana 60. Splines: 35, Length: 17.67", Side: R, Yoke Shaft: Inner	35	17.670"	Short	Inner	D-60	5-733X
GM	36140	660182-2 & 6	10661	GM: 78-91, Chromo, Dana 60. Splines: 35, Length: 35.07", Side: R, Yoke Shaft: Inner	35	35.1	Long	Inner	D-60	5-733X
GM	36550	660182-6	D660182-6	GM: 80-86 Chevy T10N, 79-93 1/2 Dodge. Splines: 35, Length: 35.12", Side: L, Yoke Shaft: Inner	35	35.1	LH	Inner	D-60	5-733X
GM	36126-28		10132	GM: 77-87 1/2, 3/4 Ton, 10 Bolt, Chromo. Splines: 30, Length: 19.15", Side: L, Yoke Shaft: Inner	28	19.2	LH	Inner		
JEEP										
JEEP	36105		10109	Jeep: 72-81 CJ5/CJ7, Chromo, Dana 30. Splines: 30, Length: 14.14", Side: R, Yoke Shaft: Inner	30	14.14"	RH	Inner	D-30	5-760X
JEEP	36109		10113	Jeep: 87-96 YJ/XJ, 97-up TJ,XJ,ZJ, Unlimited. Chromo, Dana 30. Splines: 27, Length: 32.312", Side: R, Yoke Shaft: Inner	27	32.312"	RH	Inner	D-30	5-760X
JEEP	36115		10120	Jeep: 72-81 CJ5/CJ7, Chromo, Dana 30. Splines: 30, Length: 27.02", Side: L, Yoke Shaft: Inner	30	27.02"	LH	inner	D-30	5-760X
JEEP	36116		10121	Jeep: 82-86 CJ5, CJ7, CJ8, Chromo, Dana 30. Splines: 30, Length: 28.69", Side: L, Yoke Shaft: Inner	30	28.69"	LH	Inner	D-30	5-760X
JEEP	36119	73898-1x	10124 / 75814-1x	Jeep: 87-96 YJ/XJ, 97-up TJ,XJ,ZJ, Unlimited, Chromo, Dana 30. Splines: 27, Length: 16.5", Side: L, Yoke Shaft: Inner	27	16.500"	LH	Inner	D-30	5-760X



Special Quotes to Volume Buyers

Induction Hardened

Front Axles and Yokes

All Front Axles are 4340 Chromoly Steel & Black Oxide Finish



Jeep Rubicon (36100)



JK Non-Rubicon (36150)

Make	Raj #	OEM #	Other Ref #'s	DESCRIPTION / APPLICATION	Splines	Length	Side	Type	Ring Gear	U-Joint
JEEP	36124		10129	Jeep: 97-up Grande 30 LJ/TJ/XJ/YJ, Chromo, Dana 30. Splines: 30, Length: 32.312", Side: R, Yoke Shaft: Inner	30	32.312"	RH	Inner	D-30	5-760X
JEEP	36125		10130	Jeep: Grande 30, LJ/TJ/XJ/YJ, Chromo, Dana 30. Splines: 30, Length: 16.50", Side: L, Yoke Shaft: Inner	30	16.500"	LH	Inner	D-30	5-760X
JEEP	36127		10133	Jeep: 87-up Wrangler, TJ/XJ, Rubicon, Chromo. Splines: 30, Length: 6.156", Side: L/R, Yoke Shaft: Outer	30	6.156"	L/R	Outer	D-30	5-760X
JEEP	36149		10136	Jeep: 07 & up, JK Series, Non-Rubicon, for U-Joint #5-760X, Splines: 27, Length: 34.6", Yoke Shaft: Inner/Right 3.2" ears (small)	27	34.6	RH	Inner	D-30	5-760X
JEEP	36150		10137	Jeep: 07 & up, JK Series, Non-Rubicon, for U-Joint 5-760X, Splines: 27, Length: 18.8".3.2" ears (small), Inner/Left	27	18.8	LH	Inner	D-30	5-760X
JEEP	36150-New		10137	"Jeep: JK Series, Splines: 27, Length: 18.8" New 3.54" wide ears" Non-Rubicon	27	18.8	LH	Inner		
JEEP	36128		10209	Jeep: 72-81 CJ5/CJ7, Chromo, Dana 30. Splines: 27, Length: 14.14", Side: R, Yoke Shaft: Inner	27	14.14"	RH	Inner	D-30	5-760X
JEEP	36129		10210	Jeep: 82-86 CJ5/CJ7/CJ8, Chromo, Dana 30. Splines: 27, Length: 15.82", Side: R, Yoke Shaft: Inner	27	15.82"	RH	Inner	D-30	5-760X
JEEP	36130		10220	Jeep: 72-81 CJ5/CJ7, Chromo, Dana 30. Splines: 27, Length: 27.02", Side: L, Yoke Shaft: Inner	27	27.02"	LH	Inner	D-30	5-760X
JEEP	36131		10221	JEEP: 82-86 CJ5/CJ7/CJ8, Chromo, Dana 30. Splines: 27, Length: 28.69", Side: L, Yoke Shaft: Inner	27	28.69"	LH	Inner	D-30	5-760X
JEEP	36503		W37774	Jeep: Wrangler 95 & Up Outer Stub Axle. Splines: 27, Length: 8.31", Yoke Shaft: Outer	27	8.3	-	Outer	D-30	5-760X
JEEP	36563	D-30-HD-32.3	D30-HD-32.3	Jeep:84-90 XJ, 97-up TJ, Wrangler, Extra HD, Dana 30. Splines: 30, Length: 32.23", Yoke Shaft: Inner	30	32.2	-	Inner	D-30	5-760X
JEEP	36567	43205	D43205	Jeep: Wrangler 95 & Up outer stub	27	6.1	-	Outer	D-30	5-760X
JEEP	36100	43205	10104 / W39125	Jeep: 87-up Wrangler, TJ/XJ, Rubicon Chromo. Dana 30/44. Splines: 27, Length: 6.156", Side: L/R, Yoke Shaft: Outer	27	6.156"	L/R	Outer	D-30	5-760X
JEEP	36106		10110 / W38005	Jeep: 82-86 CJ5, CJ7, CJ8, Dana 30, Chromo. Splines: 30, Length: 15.82", Side: R, Yoke Shaft: Inner	30	15.82"	RH	Inner	D-30	5-760X
JEEP	36162	10015196		Jeep : JK, Wrangler, Dana 30, Splines: 27, Length: 18.8", Side: L. Inner uses 1350 Rubicon U-Joint	27	18.8	LH	Inner	D-30	1350
JEEP	36163	10015344		Jeep: JK, Wrangler, Dana 30, Splines: 27, Length: 34.5", Side: R., uses 1350 Rubicon U-Joint	27	34.5	RH	Inner	D-30	1350
JEEP	36164	10015345		Jeep : JK, Wrangler, Dana 30, Splines: 30, Length: 18.8", Side: L, Inner uses 1350 Rubicon U-Joint	30	18.8	LH	Inner	D-30	1350
JEEP	36165	10015346		Jeep: JK, Wrangler, Dana 30, Splines: 30, Length: 34.5", Side: R., uses 1350 Rubicon U-Joint	30	34.5	RH	inner	D-30	1350
JEEP	36123		10128	Jeep: CJ, Chromo, Dana 30/44. Splines: 27, Length: 8.715", Side: L/R, Yoke Shaft: Outer	27	8.715"	L/R	Outer	D-30 & 44	5-760X
JEEP	36505		W38248	Jeep: CJ & Scout Outer Front Stub Axle. Dana 30 & 44. Splines: 30, Length: 8.72", Side: L/R, Yoke Shaft: Outer.	30	8.7	RH & LH	Outer	D-30&D-44	5-760X
JEEP	36107		10111	Jeep: 74-79 Wagoneer, Chromo, Dana 44. Splines: 30, Length: 14.69", Side: R, Yoke Shaft: Inner	30	14.690"	RH	Inner	D-44	5-760X
JEEP	36108		10112	Jeep: 80-92 Wagoneer, Chromo, Dana 44. Splines: 30, Length: 15.800", Side: R, Yoke Shaft: Inner	30	15.800"	RH	Inner	D-44	5-760X
JEEP	36117		10122	Jeep: 74-79 Wagoneer, Chromo, Dana 44. Splines: 30, Length: 33.20", Side: L, Yoke Shaft: Inner	30	33.200"	LH	Inner	D-44	5-760X
JEEP	36118		10123	Jeep: 74-79 Wagoneer, Chromo, Dana 44. Splines: 30, Length: 33.20", Side: L, Yoke Shaft: Inner	30	32.120"	LH	Inner	D-44	5-760X
JEEP	36120	84394-2	10125	Jeep: 03-up Rubicon, Chromo, Dana 44. Splines: 30, Length: 16.625", Side: L, Yoke Shaft: Inner	30	16.625"	LH	Inner	D-44	5-760X
JEEP	36151		10138	Jeep: 07 & up, JK Series, Rubicon, for U-Joint #5-7166X. Splines: 30, Length: 19.1789", Yoke Shaft: Inner/Left	30	19.9	LH	Inner	D-44	5-7166X
JEEP	36152		10139	Jeep: 07 & up, JK Series, Rubicon, for U-Joint #5-7166X. Splines: 30, Length: 33.576", Yoke Shaft: Inner/Right	30	33.6	RH	Inner	D-44	5-7166X
JEEP	36153		10140	Jeep: 07 & up, JK Series, Rubicon, for U-Joint #5-7166X. Splines: 32, Length: 6.332", Side: L/R, Yoke Shaft: Outer - Wide ears w-3.54"	32	6.3	L/R	Outer	D-44	5-7166X
JEEP	36154		10141	Jeep: 07 & up, JK Series, non-Rubicon for U-Joint 5-760X, Splines: 32, Length: 6.332", Side: L/R, Yoke Shaft: Outer. Ears width- 3.2"	32	6.3	L/R		D-44	5-760X

Front Axles and Yokes

All Front Axles are 4340 Chromoly Steel & Black Oxide Finish



JK Semi Float (36160)



JL Gladiator (36675)

Make	Raj #	OEM #	Other Ref #'s	DESCRIPTION / APPLICATION	Splines	Length	Side	Type	Ring Gear	U-joint
JEEP	36562	84394-2	D84394-2	Jeep: 03-06 Rubicon. Splines: 30, Length: 16.93", Side: L, Yoke Shaft: Inner	30	16.9	LH	Inner	D-44	5-760X
JEEP	36558	84394-1	10114 / W39602	Jeep: 03-06 Rubicon, Chromo, Dana 44. Splines: 30, Length: 31.88", Side: R, Yoke Shaft: Inner	30	31.8	RH	Inner	D-44	5-760X
JEEP	36160	10014982		Jeep : JK, Dana 44, Splines: 30, Length: 19.11", Side: L. Yoke Shaft: Inner, for ARB/Eaton - uses 1350 Rubicon U-Joint-Semi Floating	30	19.1	LH	Inner	D-44	1350
JEEP	36161	10014983		Jeep : JK, Dana 44, Splines: 30, Length: 34.19", Side: R. Yoke Shaft: Inner, for ARB/Eaton - uses 1350 Rubicon U-Joint	30	34.2	RH	Inner	D-44	1350
JEEP	36148		10670	Jeep: TJ/YJ/XJ, Dana 60. Splines: 35, Length: 31.25", Side: Long.	35	31.25"	Long	Inner	D-60	5-733X
JEEP	36147		10671	Jeep: TJ/YJ/XJ, Dana 60. Splines: 35, Length: 16.12", Side: Short	35	16.12"	Short	Inner	D-60	5-733X
JEEP	36675	68397155AA		Jeep: Chrysler Mopar Front Axle Stub Shaft for 18-07L-6.29", 32 Splines Jeep Wrangler JL & Gladiator JT, Chromoly	32	6.3	LH/ RH			

Front Axles Assemblies

Front Axles Steel 4340 / 1541



CHY Dana 44 (36591)



Dana 35 (36601)

Make	Raj #	OEM #	Other Ref #'s	DESCRIPTION / APPLICATION	Splines	Splines	Length	Length	Model	U-joint
CHRYSLER					Long Side	Short Side	L-Long*	L-Short*		
CHY	36585	68065426AB		Dodge Ram 2500,3500 4WD (RH)	33	35.0	38.062	738	D60	1555
CHY	36586	68065426AB		Dodge Ram 2500,3500 4WD (LH)	33	35	19.582	738	D60	1555
DANA										
DANA	36590	74759-1X	74759-1X	Chrysler/Dodge: Dana 35 complete Front Axle assembly; Two front axles, UJ cross, ABS ring. 1541	15	33	19.626	6.772	D35	UJC0016
DANA	36591	74760-1X	74760-1X	Chrysler/Dodge : Dana 44 Front Axles complete assembly; Two front axles, UJ cross, ABS ring. 1541	30	33	20.177	6.772	D44	UJC0016
FORD										
FORD	36596	F81Z3220BA	91-23200	Ford 99-05 / Axle shaft assembly F350 Super Duty Dana 60 Left front driver, 35 spline- 1541	35	30	15.394	9.331	D60	UJC0029
FORD	36597	F81Z3219BA	91-23201	Ford 99-05 / Axle Shaft assembly Ford Super Duty F250, F35 right passenger side, D-60.35 spline-1541	35	30	37.677	9.331	D60	UJC0029
FORD	40002		630-434	Ford Super Duty Ford 2002-2005 D-60 35 spline 4WD Front Axles Assembly (inner+outer+ Ujoint) 1541	30	30	15.925	9.331	D60	UJC0029
FORD	40003		630-435	Ford Super Duty Ford 1999-2005 D-60 35 spline 4WD Front Axles Assembly (inner + Outer + Ujoint) 1541	30	30	37.07	9.331	D60	UJC0029
JEEP										
JEEP	36598	68004081AA		Jeep Wrangler 07-13 / Drivers side axle shaft for 07-18, Unlimited JK w/Dana 30 Front Axle Splines. Chromoly 4340	27	32.0	18.839	6.291	D30	UJC0030
JEEP	36599	68004080AA		Jeep Wrangler 07-13 / Passenger side front axle assembly for 07-18 Wrangler Unlimited, Wrangler w/Dana 30 front axle. Chromoly 4340	27	32	34.587	6.290	D30	UJC0030
JEEP	36592	4874303		Jeep 97-01 Cherokee, 97-06 Wrangler TJ/Unlimited, 87-95 Wrangler YJ, 84-01 Cherokee XJ, front axle assembly, Driver side, 27 spline, Dana 30. Chromoly 4340	27	27	16.535	6.110	D30	UJC0016
JEEP	36593	4874302		Jeep 97-01 Cherokee, 97-06 Wrangler Axle shaft assembly, front inner/outer, passenger side, 27 spline, Dana 30. Chromoly 4340	27	27	32.441	6.110	D30	UJC0016
JEEP	36594	5083667AA		Jeep 03-06 Wrangler, Rubicon, TJ & Unlimited Rubicon with Dana 44 Front axle / Driver side axle shaft assembly. Chromoly 4340	30	27	16.909	6.110	D44	UJC0016
JEEP	36595	5083666AA		Jeep 03-06 Wrangler, Rubicon, TJ, Unlimited Rubicon, Dana 44 Front axle / Passenger side axle shaft assembly. Chromoly 4340	30	27	31.89	6.110	D44	UJC0016



Buy from Local Stocks at Almost Direct Import Prices

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



Dana 110882 (35809)



AMC Jeep (35175)

Make	Raj #	OEM #	HLDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Splines	Length"	Side	Holes	Ring Gear
BLANKS									
BLANK	35658			Blanks without Splines		34.48			
BLANK	35662			Blanks without Splines		40.50			
BLANK	35664			Blanks without Splines		33.91			
MISC	35643	Cut to Fit		MISC: Cut to Fit: 34 to 37" Splines: 30 x 6 1/4" long, Holes: 8 x 7/16" diam. Flange - O.D. 4.750" x 1/2" thick, 1541 Steel	30	37.00		8	
MISC	35644	Cut to Fit		MISC: Cut to Fit 34 to 36.5". Splines: 35, Length: 37.00, Holes: 8x3.96", 1541 Steel, D60	35	37.00		8	D60
CHRYSLER									
CHY	35976	52069513		CHY/ Dodge Dakota 2004-97, 8.25, Dodge Durango 2003-00, 29 Splines. Lft. 6 Holes	29	33-3/8	L	6	8.25
CHY	35977	52099398AC		CHY/Dodge Dakota 2004-97 Dodge Durango 2003-00, 31 SPLINES. RIGHT. 5 HOLES with ABS ring	31		R	5	
CHY	35953	52099399AC	W/O ABS	CHY/Dodge Mopar AXLE 31 SPLINE 34.42" 5 HOLES, 2008-09 WITHOUT ABS RING.	31	34.42		5	
CHY	35953-N	52099399AC	WITH ABS	CHY/Dodge Mopar AXLE 31 SPLINE 34.42" 5 HOLES, 2008-09 WITH ABS RING.	31	34.42		5	
CHY	35970	52114720AA		CHY/DODGE: 2009-2011 Ram1500 1.705" bearing diameter, 31 SPLINES. L/R. 5 HOLES	31		L/R	5	
CHY	35971	68045423AA		CHY/DODGE DAKOTA : 2009-2011 . 31 SPLINES. LEFT. 5 HOLES.	31		L	5	
CHY	35972	68045427AA		CHY/DODGE: 2009-2011 Durango 1.618" Bearing Diameter, 31 Splines. L/R, 5 Holes L 34"	31	34.00	L	5	
CHY	35952	68065488AA		CHY/Dodge Mopar AXLE RAM 1500 RH, L- 33.75" ,31 spline 5 lugs with ABS Ring and Bolts, Holes 16.55 mm	31	33.75	R	5	
CHY	35951	68140296AA		CHY/Dodge Dodge Ram 1500 Rear Axle with Tone Ring and Bolts 2012 and up 31 splines, L- 33.75", 5 Holes-15.5 mm	31	33.75		5	
CHY	35952-D	68140296AA	68065488AA	CHY/Dodge RAM 1500 RH, 33 .75 long 31 spline, Dual Drilled 16.45 mm & 15.4 mm lugs with ABS Ring	31	33.75		2 Bolt	
CHY	35951-D	68140297AA	68065489AA	CHY/Dodge Ram 1500 Rear Axle with Tone Ring 2012 and up. L 34.25. Dual Drilled 15.4 & 16.45 mm LH 31 spline	31	34.25		2 Bolt	
CHY	35634	Cut to Fit		CHY/DODGE: 8.75 Car 30S-28". Splines: 30, Length: 27.85, Holes: 5x4.5" +1	28	27.85		2 Bolt	8.75
CHY	35635	Cut to Fit		CHY/DODGE: 8.75 Car 30S-30". Splines: 30, Length: 29.96, Holes: 5x4.5" +1	30	29.96		2 bolt	8.75
CHY	35641	Cut to Fit		CHY/DODGE: 8.75 7" long cut to length. Splines: 30, Length: 31.96, Holes: 5x4.5" +1	30	31.96		2 Bolt	8.75
CHY	35686			CHRYSLER: 9.25" - Splines: 31, Length: 34 3/8", Side: Right; Holes: 5	31	34 1/4	R	5	9.25
CHY	35687			CHRYSLER: 9.25, Splines: 31, Length: 33 7/8", Side: Right; Holes: 5	31	33 7/8	R	5	9.25
CHY	35631	3723824	447-1081	CHY/DODGE: 9.25 - 74-83 Ram Charger, Trailduster, Pickup, 1/2-Ton. Splines: 31, Length: 31.71, Holes: 5	31	31.69	L/R	5	9.25"
CHY	35115	4037726	447-1289	DODGE: 80-4/2/84 Truck, Ram Charger. Splines: 31, Length: 31 5/8", Side: L/R, Holes: 5	31	31 5/8"	L/R	5	9.25"
CHY	35829	4137670		CHY/DODGE: 85-96 Van 150, 250, 1500, 2500. Splines: 27, Length: 32 9/16, Side: L/R, Holes: 5	27	32.55	L/R	5	
CHY	35630	4137838	447-1074	CHY/DODGE: Various 72-83 Passenger Cars & Ram Charger. Splines: 27, Length: 31.67, Holes: 5	27	31.67		5	
CHY	35831	4348510		CHY/DODGE: 87-90 Dakota. Splines: 27, Length: 30 3/4, Side: L/R, Holes: 5	27	30 3/4	L/R	5	
CHY	35832	4506115		CHY/DODGE: 91-96 Dakota. Splines: 27, Length: 30 3/4", Side: L/R, Holes: 6	27	30 3/4"	L/R	6	
CHY	35833	4506147		CHY/DODGE: 91-96 Dakota. Splines: 25, Length: 30 1/4, Side: L/R, Holes: 5	25	30 1/4"	L/R	5	
CHY	35116	52067614	447-2030	DODGE: 94-Up 1/2 ton. Splines: 31, Length: 34 1/8", Side: L/R, Holes: 5	31	34"	L/R	5	9.25"
CHY	35869	52067708	447-1927	CHY/DODGE: 91-01 Dodge Van. Splines: 31, Length: 32 9/16", Side: L/R, Holes: 5	31	32.55	L/R	5	9.25"
CHY	35639	52069388	447-2344R	CHY/DODGE: 98-04 Dakota, 98-03 Durango. Splines: 31, Length: 30.12", Holes: 6	31	30.12	R	6	
CHY	35640	52069389	447-2344L	CHY/DODGE: 98-04 Dakota, 98-03 Durango. Splines: 31, Length: 33.27", Holes: 6	31	33.27		6	
CHY	35638	52098902	447-2235	CHY/DODGE: Cherokee, 8.25" 5 Lug, 5X4.5". Splines: 29, Length: 29.70", Holes: 5	29	29.70		5	
CHY	35832	22506477		CHY/DODGE: 91-96 Dakota. Splines: 27, Length: 30 3/4", Side: L/R, Holes: 6	27	30 3/4	L/R	6	
CHY	35632	4137429	447-1398	CHY/DODGE: 85-93 Ram Charger, Pickup, 1/2-Ton. Splines: 31, Length: 31.67", Holes: 5	31	31.67	L/R	5	
DANA									
DANA	35694	2004785-2		DANA: D44 L-31.18, 32 spline 5x5.0 bolt pattern 10 stud (Not Threaded) holes .645, with ABS semi float	32	31.18	LH	2 Bolt	D44
DANA	35649	Cut to Fit		DANA: CUT TO FIT: 31 to 33.5". Splines: 35, Holes: 8x3.96". 1541 Steel, D60	35	34.00		8	
DANA	35650	Cut to Fit		DANA: CUT TO FIT: 37 to 39.5" Splines: 35, Holes: 8x3.96". 1541 Steel, D60	35	39.50		8	
DANA	35652	Cut to Fit		DANA: CUT TO FIT: 22 to 28.5". Dana Spicer 44. Splines: 30, 1541 Steel	30	28.50			
DANA	35653	Cut to Fit		DANA: CUT TO FIT: 27 to 34.5". Dana Spicer 44. Splines: 30, 1541 Steel	30	34.50		5	
DANA	35654	Cut to Fit		DANA: CUT TO FIT: 30 to 34". Splines: 35 x 6 1/4", Holes: 8x3.96", x 7/16" diam. Flange: 4.760" x 1/2" thick, D60	35	34.00		8	
DANA	35654-30	Cut to Fit		DANA: CUT TO FIT: 30 to 34". Splines: 30 x 6 1/4", Holes: 8 x 7/16" diam. Flange: 4.760" x 1/2" thick, 4140 Steel Chromoly	30	34.00			
DANA	35655-C	Cut to Fit		DANA: CUT TO FIT: 30 to 36.5". Splines: 35, Holes: 8, 4140 Steel Chromoly	35	36.50		8	
DANA	35656-C	Cut to Fit		DANA: CUT TO FIT: 31 to 33.5". Splines: 35, Holes: 8, 4140 Steel Chromoly	35	33.50		8	
DANA	35657-C	Cut to Fit		DANA: CUT TO FIT: 35 to 39.5" Splines: 35, Holes: 8x3.96". 4140 Steel, D60	35	39.50		8	



Best Prices Guaranteed To Importers - Distributors - Wholesalers

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



F9" Cut to Fit (35547)



Ford Crown Vic (35681)

Make	Raj #	OEM #	HLDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Splines	Length"	Side	Holes	Ring Gear
FORD									
FORD	35502			FORD: 66-75 Bronco RH W/11"x1.75" Brakes; Spline: 31, Length: 29.25, Holes: 5	31	29.25		5	
FORD	35503			FORD: 74-75 Bronco RH W/10" x 2.5" Brakes; Spline: 31, Length: 29.74, Holes: 5	31	29.74		5	
FORD	35505			FORD: 66-75 Bronco LH W/11"x1.75" Brakes; Spline: 31, Length: 26.93, Holes: 5	31	26.93		5	
FORD	35506			FORD: 74-75 Bronco LH W/10" x 2.5" Brakes; Spline: 31, Length: 27.24, Holes: 5	31	27.24		5	
FORD	35533			FORD: 76-77 Bronco RH W/11" x 2.25" Brakes; Splines: 31, Length: 29.69, Holes: 5	31	29.69		5	
FORD	35534			FORD: 76-77 Bronco LH W/11" x 2.25" Brakes; Splines: 31, Length: 27.19, Holes: 5	31	27.19		5	
FORD	35544			FORD: Full Floating Circle Track axle-9", Splines: 31& 24, Length: 28.50	31/24	28.50			
FORD	35545			FORD: Full Floating Circle Track axle-9", Splines: 31 & 24, Length: 32.50	31/24	32.50			
FORD	35555			FORD: 94-98 Mustang 8.8", custom built. Splines: 31, Length: 29.94", Holes: 5	31	29.94		5	
FORD	35882			FORD: 02-05 Crown Vic. Splines: 28, Length: 34.3" w/o ABS	28	34.30	L/R		
FORD	35879	354681R		FORD: 63-74 F350 Style 23. Splines: 23, Length: 35.42", Side: L/R, Holes: 8	23	35.42	L/R	8	
FORD	35881	364532R		FORD: 73-79 C10-C30 Style. Splines: 35, Length: 34.39", Side: L/R, Holes: 8	35	34.39	L/R	8	
FORD	35553	3W1Z4234KA	447-2733	FORD: 03-06 Crown Victoria, Grand Marquis. Splines: 28, Length: 34.28, Holes: 5 with ABS Ring and Bolts	28	34.28		5	
FORD	35884	436511R		FORD: 1998, Dana 80, Style. Splines: 37, Length: 37.67", Side: L/R, Holes: 8	37	37.67	L/R	8	
FORD	35950	4L3Z4234AB		FORD: 8.8" 04-08 F150 & Expd, Splines: 31, Length: 35.34", Side: LH, Holes: 6, 1.702" Brg	31	35.34	L/H	6	
FORD	35164	5R3Z4234A		FORD: 05-09 Mustang. Splines: 31, Length: 32.71", Side: R, Holes: 5	31	32.71"	R/H	5	8.8
FORD	35165	5R3Z4234B		FORD: 05-09 Mustang. Splines: 31, Length: 31.13/16", Side: L, Holes: 5	31	31.83	L/H	5	8.8
FORD	35946	6L3Z4234B		Ford: 9.75" 04-08 Expl, Nav & F150, Splines: 34, Length: 33.75", Side: RH, 1.702" Brg	34	33.75	R/H	5	9.75
FORD	35945	6L3Z4234D		FORD: 9.75" 04-08 Expl, Nav & F150, Splines: 34, Length: 35.34", Side: LH, 1.702" Brg	34	35.34	L	5	9.75
FORD	35681	6W1Z4234A	Also 5W1Z4234A	FORD: Crown Vic./ Grand Marquis town car 88. Splines: 31, Length: 34.25" Side: R- ABS Ring and Bolts	31	34.25	R	5	
FORD	35932	7L3Z4234A		FORD: 04-08 F150, Splines: 31, Length: 33.32", Holes: 5, RH, 8.8" RG, non-Heritage	31	33.32	R	5	
FORD	35933	7L3Z4234B		FORD: 05-08 F150, Splines: 34, Length: 33.31", Holes: 6, RH, 9.75" RG, to 8/18/08	34	33.31	R	6	
FORD	35934	7L3Z4234C		FORD: 04-08 F150, Splines: 31, Length: 35.27", Holes: 5, LH, 8.8" RG, non-Heritage	31	35.27	L	5	
FORD	35935	7L3Z4234D		FORD: 05-08 F150, Splines: 34, Length: 35.27", Holes: 6, LH, 9.75" RG, to 8/18/08	34	35.27	L	6	
FORD	35166		95-2013-023	Ford 8.8" 99-01 Ranger Replacement Axle Shaft. 28 spline RL 5 on 4.5	28		L/R	2 Bolt	8.8
FORD	35956	9L3Z4234A		Ford F-150 AXLE F 8.8, 31 SPLINE 33.63" 6, RH, 6 HOLES 2009-2014	31	33.63	R	6	
FORD	35930	9L3Z4234C		FORD: F150, 2014-09, Rear Axle 9.75", Right, 34 Spline L-33.09", 6 Holes	34	33.09	R	6	9.75
FORD	35931	9L3Z4234D		FORD: F150, Rear Axle, 9.75", Left, 34 Spline L-34.75", 6 Holes	34	34.75	L	6	9.75
FORD	35162	C904234C		FORD: 66-70 Mustang 9" Splines: 31, Length: 27.12", Side: L	31	27.12"	L	5	
FORD	35163	C904234D		FORD: 66-70 Mustang, 9" Splines: 31, Length: 31.25", Side: R	31	31.25"	R	5	
FORD	35563	Cut to Fit		FORD: 9" 2-Bolt Pattern, 8" long Spline cut to length. Splines: 31, Holes: 5+5	31	31.76		5+5	
FORD	34500	Cut to Fit	F9-31-33	Cut to Fit Big F- 9" Long splines, 31 splines, Long 33", 2 Bolt Pattern 5x5	31	33.00		2 Bolt	
FORD	34501	Cut to Fit	F9-28-33	Cut to Fit Big F- 9" Long splines, 28 splines, Long 33", 2 Bolt Pattern 5x5	28	33.00		2 Bolt	
FORD	35546	Cut to Fit		FORD: 9", 3-Bolt Pattern, 8" long Spline cut to length, Splines: 31, Length: 31.76, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, Brg Jr 1.5, 2.5" brake offset	31	31.76		3 Bolt	
FORD	35546-S	Cut to Fit		FORD: Short 27.25" Length, 9" -3 Bolt Pattern-5x4.5, 5x4.75, 5x5, Splines: 31, 8" Long Spline, Brg Jr 1.57	31	27.25		3 bolt	
FORD	35547	Cut to Fit	50111032	FORD: 9" 3-Bolt Pattern, 8" long Spline cut to length. Splines: 31, Length: 29.51, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, Brg Jr 1.56", 2.5" brake offset	31	29.51		3 Bolt	
FORD	35548	Cut to Fit		FORD: Early 8" Passenger, Small Bearing (RW207) 23.68 to 27.18" cut to length. Splines: 28, Holes: 5	28	27.18		5	
FORD	35549	Cut to Fit		FORD: 9" 3-Bolt Pattern, 8" long Spline cut to length. Splines: 28, Length: 31.76, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, Brg Jr 1.56", 2.5" brake offset	28	31.76		3 Bolt	
FORD	35550	Cut to Fit	50111119	FORD: 9" 3-Bolt Pattern, 8" long Spline up to 29.51", cut to length. Splines: 28, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, 1.56" bearing journal, 2.5" brake offset	28	29.51		3 Bolt	
FORD	35551	Cut to Fit		FORD: 9" 3-Bolt Pattern, 8" long Spline cut to length. Splines: 35, Length: 31.76, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, Brg Jr 1.57	35	31.76		3 Bolt	
FORD	35552	Cut to Fit		FORD: 9" 3-Bolt Pattern, 8" long Spline cut to length. Splines: 35, Holes: 0.67", 5 x 4.5" Bolt Pattern, 0.67", 5 x 4.75" Bolt Pattern, 0.67", 5 x 5" Bolt Pattern, length rvsd 31.75"	35	31.75		3 Bolt	
FORD	35554	Cut to Fit		FORD: Early 8" Ford Passenger, Small Bearing (RW207) 25.50 to 32.87" cut to length. Splines: 31, bearing dia. 1.38, spline length 8.85", Length: 32.79, Holes: 5x4.5" +1	31	32.79		2 Bolt	
FORD	35556	Cut to Fit	295-2013-016	FORD: 79-93 Mustang 8.8", custom built. Splines: 31, Length: 29.13, Holes: 4, Brg Jr 1.400	31	29.13		4	
FORD	35559	Cut to Fit		FORD: Thunderbird, Cougar, Mustang. Splines: 31, Length: 29.13, Holes: 5	31	29.13		5	
FORD	35560	Cut to Fit		FORD: 8.0" Passenger, Small Bearing (RW207), 25.5"~32.87" cut to length. Splines: 28, bearing dia 1.38, spline length: 9", Length: 32.87, Holes: 5 x4.5" +1	28	32.87		2 Bolt	
FORD	35561	Cut to Fit		FORD: 99-04 Mustang, C-Clip. Splines: 31, Length: 30.69", Holes: 5	31	30.69		5	

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



Jeep Dana 35 (35691)

Make	Raj #	OEM #	HLDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Splines	Length"	Side	Holes	Ring Gear
FORD	35507	D3TZ4234G	447-1008R	FORD: 66-73 Bronco, Small bearing, 2700 lb. Splines: 28, Length: 27.25", Holes: 5	28	27.3		5	
FORD	35536	D3TZ4234J	447-1009L	FORD: 66-75 Bronco, Large Bearing, 3300 LB. Splines: 28, Length: 26.94", Holes: 5	28	26.94		5	
FORD	35535	D3TZ4234K	447-1009R	FORD: 66-75 Bronco, Large Bearing, 3300 LB. Splines: 28, Length: 29.25", Holes: 5	28	29.25		5	
FORD	35504	D3TZ4234F	447-1008L	FORD: 66-73 Bronco, Small bearing, 2700 lb. Splines: 28, Length: 29.75", Holes: 5	28	29.75		5	
FORD	35901	D6TZ4234A	447-1172	FORD: 74-86 9', F150 & E150, Bronco Style. Splines: 31, Length: 31 27/32", Side: L/R, Holes: 5	31	31.85	L/R	5	
FORD	35513	D9AZ4234A	447-1227	FORD: Taxi Axle 79-89 Ford/ Mercury Passenger Car. Splines: 28, Length: 30.88, Holes: 5	28	30.88		5	
FORD	35509	D9BZ4234C	447-1231	FORD: 79-93 Mustang 4-Lug. Splines: 28, Length: 29 1/4", Side: L/R, Holes: 4	28	29.19		4	
FORD	35510	E3TZ4234B	447-1337	FORD: 83-92 Ranger, 7.5" & 8.8". Splines: 28, Length: 26.23, Holes: 5	28	26.23	R	5	
FORD	35112	E3TZ4234C	447-1338	FORD: 79-93 Mustang, 83-92 Ranger. Splines: 28, Length: 29 1/16", Side: L/R, Holes: 5, Bearing surface 1.400"	28	29 1/16"	L/R	5	8.8"
FORD	35105	E3TZ4234D	447-1340	FORD: 83-86 F-150/Bronco. Splines: 31, Length: 31 1/6", Side: R, Holes: 5	31	31 1/16"	R	5	8.8"
FORD	35106	E3TZ4234E	447-1341	FORD: 83-86 F-150/Bronco. Splines: 31, Length: 33 3/16", Side: L, Holes: 5	31	33 3/16"	L	5	8.8"
FORD	35512	E4TZ4234A	447-1339	FORD: 83-91, Bronco II. Splines: 28, Length: 27.71", Holes: 5	28	27.71		5	
FORD	35527	E5TZ4234A	447-1446	FORD 8.8, T-Bird, Cougar. Splines: 28, Length: 29.89", Holes: 4	28	29.89		4	
FORD	35910	E5TZ4234B		FORD: 85 F250, Semi-Float. Splines: 35, Length: 30 9/16", Side: R, Holes: 8	35	30.56	R	8	
FORD	35911	E6TZ4234A	447-1456L	FORD: 87-97 Aerostar. Splines: 28, Length: 32 1/4", Side: L, Holes: 5	28	32.18	L	5	
FORD	35913	E6TZ4234B		FORD: 86-97 F250 Semi-Float. Splines: 35, Length: 30 9/16", Side: R, Holes: 8	28	30 9/16"	R	5	10.25"
FORD	35914	E6TZ4234C		FORD: 86-97 F250 Semi-Float. Splines: 35, Length: 33", Side: L, Holes: 5	35	33"	L	5	10.25"
FORD	35915	E7TZ4234A	447-1573	FORD: 87-96 F-150/Bronco, 87-97 E150. Splines: 31, Length: 31 1/16", Side: R, Holes: 5	31	31 1/16"	R	5	8.8"
FORD	35916	E7TZ4234B	447-15104	FORD: 87-96 F150/Bronco, 87-98 E150 Van Style. Splines: 31, Length: 33 3/16", Side: L, Holes: 5	31	33 3/16"	L	5	8.8"
FORD	35917	E7UZ4234E	447-1575L	FORD: 87-02 F150 Van/Bronco. Splines: 31, Length: 35 5/8", Side: L, Holes: 5	31	35 5/8"	L	5	8.8"
FORD	35918	F1TZ4234A	447-1724	FORD: 91-94 Explorer 5Lug Axle. Splines: 31, Length: 37.34", Side: R, Holes: 5	31	37.34	R	5	
FORD	35919	F1TZ4234B	447-1725	FORD: 91-94 Explorer/Navajo. Splines: 31, Length: 30.53", Holes: 5	31	30.53		5	
FORD	35920	F2AZ4234B	447-1824	FORD: 92-97 Lincoln Mercury ABS, 91-98 Crown Vic Style. Splines: 28, Length: 31.5, Side: L/R, Holes: 5	28	31.50	L/R	5	
FORD	35108	F3TZ4234A	447-2080 R	FORD: 93-97 Ranger. Splines: 28, Length: 27 1/4", Side: R, Holes: 5	28	27 1/4"	RH	5	8.8"
FORD	35514	F3TZ4234B	447-2089	FORD: 93-97 Ranger, Mazda Pickup. Splines: 28, Length: 30.11, Holes: 5	28	30.11		5	
FORD	35921	F4ZZ4234B	447-2006	FORD: 94-98 Mustang. Splines: 28, Length: 29 15/16", Side: L/R, Holes: 5	28	29 15/16"	L/R	5	8.8"
FORD	35169-C	F5TZ4234A		FORD: 95-up Explorer 8.8, Chromoly. Splines: 31, Length: 27 5/8", Side: R, Holes: 5t+5	31	27 5/8"	R	2 Bolt	
FORD	35922	F5TZ4234A	447-2120R	FORD: 95-up Explorer, 97-up Mountaineer. Splines: 31, Length: 27 5/8", Side: R, Holes: 5	31	27.63	R	5	
FORD	35526	F5TZ4234B	447-2121L	FORD: 95-00 Explorer, Mountaineer. Splines: 31, Length: 30 1/2", Side: L, Holes: 5	31	30.53	L	5	
FORD	35973	F5UZ4234A		FORD: 1997-93 Ranger. 35 SPLINES. RIGHT. 8 HOLES	35	31.44	R	8	
FORD	35974	F5UZ4234B		FORD: 2005-97 E-250/E-350 9.75 R.G. 35 SPLINES. LEFT. 8 HOLES. L-34.13	35	34.13	L	8	
FORD	35924	F75Z4234AA	447-2192	FORD: 97-up F150 & Expedition. Splines: 31, Length: 31 3/4", Side: R, Holes: 5+5	31	31.75	R	2 Bolt	8.8"
FORD	35925	F75Z4234AB	447-2193	FORD: 97-up F150, Expedition. Splines: 31, Length: 33 3/8", Side: L, Holes: 5+5 (ALT 35103)	31	33 3/8"	L	5+5	8.8"
FORD	35523	F75Z4234KA	447-2304	FORD: 97-99 pickup and some '00 Ford 8.8" Expedition. Splines: 31, Length: 31.75", Holes: 5	31	31.75		5	8.8"
FORD	35524	F75Z4234KB	H447-2305	FORD: 97-99 pickup and some '00 Ford 8.8" Expedition, Splines: 31, Length: 33.39", Holes: 5	31	33.39		5	8.8"
FORD	35926	F75Z4234LA	447-2236 / 447-2484	FORD: 97-99 Expedition, F150, Navigator. Splines: 34, Length: 31 3/4", Side: R, Holes: 10, Bearing surface 1.700"	34	31.70	R	5	
FORD	35927	F75Z4234LB	447-2485	FORD: 97-99 Expedition, F150, Navigator. Splines: 34, Length: 33 3/8", Side: L, Holes: 10, Bearing surface 1.700"	34	33.37"	L	5	9.75"
FORD	35928	F75Z4234MA	F975001	FORD: 97-04 F150, Expedition, Navigator, Small Bearing, BRG. SUR. 1.625", JPE 12 MM & 14 MM. Splines: 34, Length: 31 3/4", Side: R, Holes: 10	34	31/3/4	R	5	9.75"
FORD	35929	F75Z4234MB	447-2239L	FORD: 97-99 Expedition, F150, Navigator. Splines: 34, Length: 33 3/8", Side: L, Holes: 10, Bearing surface 1.625"	34	33/3/8	L	5	9.75"
FORD	35521	F75Z4234NB	447-2193	FORD: 97-99 F150, Expedition. Splines: 31, Length: 33.38", Holes: 5	31	33.38		5	
FORD	35302	F7UZ4234-BA		FORD: 97-01 1/2 Ton Van. Splines: 31, Length: 31 1/16", Side: R, Holes: 5	31	31.06	R	5	
FORD	35565	F8TZ4234AC	447-2419	FORD: 99-20 Ranger. Splines: 28, Length: 27.21", Side: R, Holes: 5	28	27.21	R	5	
FORD	35564	F8TZ4234AD	447-2420	FORD: 99-05 Ranger. Splines: 28, Length: 30.21", Side: L, Holes: 5 (ALT 35167)	28	30.21	L	5	
FORD	35522	F8AZ4234DA	447-2307	FORD: 98-02 Taxi Axle, Crown Vic Town Car, Splines: 28, Length: 32.22", Holes: 5 with ABS Ring and Bolts	28	32.22		5	
FORD	35948	F975011		FORD: 9.75" 09-14 F150, Splines: 34, Length: 33.75", Side: RH, 1.705" Brg	34	33.75	RH	6	
FORD	35947	F975012		FORD: 9.75" 09-14 F150, Splines: 34, Length: 35.38", Side: LH, 1.705" Brg	34	35.38	LH	6	
FORD	35949	FL3Z4234A		FORD: 8.8" 04-12 F150 & Expd, Splines: 31, Length: 33.75, Side: RH, Holes: 6, 1.702" Brg	31	33.75	RH	6	
FORD	34502	Ford 9"		FORD 9" 31 Spline Axle Shaft, 27-5/8 in, Grand National	31	27.63			
FORD	34503	Ford 9"		FORD 9" For new Big Ford Torino 31 Spline Axle Shaft, 28-5/8 inch, Dual: 5 on 4.5" 4.75" Bolt Pattern	31	28.63		2 Bolt	
FORD	34504	Ford 9"		FORD 9" Ford 31 Spline Axle Shaft, 26-3/8 inch, Dual: 5 on 4.5" 4.75" Bolt Pattern	31	26.38		2 Bolt	
FORD	34505	Ford 9"		FORD 9" 31 Spline Axle Shaft, 29-5/8 inch, Dual: 5 on 4.5" 4.75" Bolt Pattern, Ste	31	29.63		2 Bolt	
FORD	34506	Ford 9"		FORD 9" 31 Spline Axle Shaft, 27-3/8 inch, Grand National	31	27.38		2 Bolt	
FORD	34507	Ford 9"		FORD 9" 31 Spline Axle Shaft, 30-5/8 inch, Dual: 5 on 4.5" 4.75" Bolt Pattern	31	30.63		2 Bolt	

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



Ford 9"(34508)



GM 10.5 (35304)

Make	Raj #	OEM #	HILDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Splines	Length"	Side	Holes	Ring Gear
FORD	34508	Ford 9"		FORD 9" 31 Spline Axle Shaft, 28.25", Dual: 5 on 4.5" 4.75" Bolt Pattern	31	28.25"		2 Bolt	
FORD	34510	Ford 9"		FORD 9" 31 Spline Axle 25.25" overall length, Dual Pattern 5# on 4.5" / 4.75"; Universal Fit	31	25.25"		2 Bolt	
FORD	35157	M-4235-B		Ford Mustang 79 -93, L-29-1/4", 31 Spline, \$ Holes Side L/R	31	29 1/4"	L/R	4	8.8"
FORD	35155	M-4235-D		FORD: 8.8 -66-70 Mustang. Splines: 31, Length: 27.2", Side: L	31	30.00"	L/R	5	8.8"
FORD	35156	M-4235-F		FORD: 79-93 Mustang, 5 Lug. Splines: 31, Length: 29 1/8", Side: L/R, Holes: 5	31	29 1/8"	L/R	5	8.8"
FORD	35110	XR3Z4234AA		FORD: 99-up Mustang. Splines: 28, Length: 30 5/8", Side: L/R, Holes: 5	28	30 5/8"	L/R	5	8.8"
FORD	35566	YL3Z4234BA	447-2839	FORD: 00-04 F150, w/ 15.40mm holes. Splines: 31, Length: 31.77", Side: R, Holes: 5	31	33.38"	LH	5	8.8"
FORD	35567	YL3Z4234BB	447-2840	FORD F150, 8.8" LH, 1997 03, Heritage 2004 (non locking) 2000 2004	31	31.75"	RH	5	8.8"
GM									
GM	35575	551818		GM: 78-81 Mid-size Car. Splines: 26, Length: 28.46", Holes: 5+5	26	28.46"		5+5	
GM	35820	1255803		GM: 65-67 Chevelle, 67-69 Camaro, 70-75 Nova. Splines: 28, Length: 29.625" Side: L/R, Holes: 10	28	29 5/8"	L/R	5	8.2"
GM	35142	3893605		GM: 65-69 Truck, 1/2 Ton Pickup, 12 Bolt. Splines: 30, Length: 30.6", Side: L/R, Holes: 6	30	30 1/2"	L/R	6	8.875"
GM	35826	3977384		GM: 73-91 Truck, Van, Suburban. Splines: 30, Length: 37 9/16", Side: L/R, Holes: 8, R.G.: 10.5"	30	37 9/16"	L/R	8	10.5"
GM	35838	12398538		GM: 68-72 Chevy II, 67-69 Camaro, 65-67 Chevelle. Splines: 30, Length: 29.75, Holes 5+5t	30	29.75"		5+5T	
GM	35840	12471369		GM: 03-09 Avalanche, Escalade, Pickup 1/2 ton, Suburban 1/2 ton, Tahoe, Yukon; Splines: 30, Length: 33 3/4", Holes: 6	30	33 9/16"	L/R	6	8.5"
GM	35573	14030355	447-1310	GM: 82-93 S10/S15, Small Blazer. Splines: 26, Length: 26.69, Holes: 5	26	26.69"		5	7.6 & 7.625"
GM	35841	14035368	447-1330	S SER 83 89. BLAZER, 83 89 SER. JIMMY, 83 89 CHEVY S10, 83 89 GMC S15, 83 89 SONOMA	26	29"	L/R	5	7.5"
GM	35137	14035395	447-1276	GM: 81-91. Splines: 33, Length: 32 9/16", Side: L/R, Holes: 8, Ring Gear: 9.5"	33	32 9/16"	L/R	8	9.5"
GM	35148	14035542	447-1204	GM Blazer, C10, C1500, Jimmy, Suburban, 1/2 Ton Pickup 79 89	28	31.38"	L/R	5	8.5"
GM	35844	14039547	447-1300	GM: 81-88 Blazer, Jimmy, Suburban Pickup 1/2 Ton. Splines: 28, Length: 31 5/16", Side: L/R, Holes: 6, Ring Gear: 8.5"	28	31 5/16"	L/R	6	8.5"
GM	35128	14042690	447-1085	GM: 75-88 Van 1/2 Ton, 10 Bolt. Splines: 28, Length: 33 5/16", Side: L/R, Holes: 5	28	33 5/16"	L/R	5	8.5"
GM	35846	14071750	447-1063	GM: 70-81 4WD Truck, Blazer, Jimmy, Suburban, Pickup, 1/2 Ton, 12 Bolt. Splines: 30, Length: 31 9/32", Side: L/R, Holes: 6	30	31 9/32"	L/R	6	8.875"
GM	35848	14074821		GM: 85-89 GM 7.5" Astro Van. Splines: 26, Length: 34 7/8", Side: L, Holes: 5	26	34.88"	L	5	7.5"
GM	35849	14074822		GM: 85-89 Astro Van Style. Splines: 26, Length: 30 5/16" Side: R, Holes: 5	26	30 5/16"	R	5	7.5"
GM	35609	15521892	447-1608	GM: 88 Chevy, GMC K1500. Splines: 28, Length: 33.0", Holes: 6	28	33.00"		6	
GM	35850	15521928		GM: 88-99 Pickup, Suburban, 1/2-Ton, 3/4-Ton. Splines: 33, Length: 33 1/8", Side: L/R, Holes: 6	33	33 1/8"	L/R	6	9.5"
GM	35610	15522066	447-1606	GM: 88 1/2 Ton Aerotruck. Splines: 28, Length: 31.85", Holes: 5	28	31.85"		5	
GM	35130	15522070	447-1615	GM: 92-98 1500 Series, 88-98 2500 Series. Splines: 33, Length: 31 13/16", Side: L/R, Holes: 8	33	31 13/16"	L/R	8	9.5"
GM	35572	22515441	4471302	GM: 82-89 Camaro, Firebird with Drum. Splines: 26, Length: 30.33", Holes: 5	26	30.33"		5	7.5 & 7.625"
GM	35853	25501599		GM: Full Size Car. Splines: 28, Length: 30 7/16", Side: L/R, Holes: 9, Ring Gear: 8.5"	28	30 7/16"	L/R	5	8.5"
GM	35581	26006822		GM: RH Stub Axle 8.25 IFS. Splines: 28, Length: 15.43", Holes: 6T	28	15.43"		6T	
GM	35582	26006824		GM: LH Stub Axle 8.25 IFS. Splines: 28, Length: 5.06", Holes: 6T	28	5.06"		6T	
GM	35585	26010415	447-1669	GM: 88-91 Suburban, 1/2 Ton. Splines: 30, Length: 31.33", Holes: 5	30	31.33"	L/R	5	8.5"
GM	35133	26010416	447-1671	GM: 88-00 1/2 Ton Pickup, 92-98 Suburban, Tahoe, Yukon. 10 Bolt, 4WD W/IFS. Splines: 30, Length: 33", Side: L/R, Holes: 6	30	33"	L/R	6	8.5"
GM	35126	26011054	447-1765	GM: 90-98 Astro Van. Splines: 28, Length: 34 13/16", Side: L, Holes: 5	28	34 13/16"	L	5	7.5"
GM	35599	26011055	447-1764R	GM: 90-98 Astro Van. Splines: 28, Length: 30 5/8", Side: R, Holes: 5	28	30.32"	R	5	7.625"
GM	35138	26013313	447-1672	GM: 88-95 1/2 Ton Van, 10 Bolt. Splines: 30, Length: 33 5/16", Side: L/R, Holes: 5	30	33 5/16"	L/R	5	8.5"
GM	35862	26014036		GM: 8.5 Full size car; Caprice/Impala. Splines: 30, Length: 30 1/2", Side: L/R, Holes: 2 Bolt, R.G.: 8.5"	30	30 1/2"	L/R	2 Bolt	8.5"
GM	35607	26015257	447-2173	GM: 90-98 Astro Van. Splines: 28, Length: 34.82", Holes: 5	28	34.82"		5	
GM	35606	26015258	447-1764	GM 7.5" Astro Van with length 30 1/2" C Clip.	28	30.30"		5	
GM	35124	26015759	447-1599	GM: 88-94 S10, 2WD. Splines: 28, Length: 26 9/16", Side: L/R, Holes: 5+5t	28	26 9/16"	L/R	5+5t	7.5"
GM	35149	26027558	447-1960	GM 93-96 Camaro, Splines: 28, Length: 32", Side: L/R, Holes: 5t	28	32"	L/R	5t	
GM	35603	26031251	447-1777	GM 90-92 Camaro 7.625", & Trans Am with Drum Brakes. 28 Spline L-30.31 5 Holes	28	30.31"		5	
GM	35125	26031252	447-1776	GM: 90-92 Camaro. Splines: 28, Length: 30 5/16", Side: L/R, Holes: 5+5t	28	30 5/16"	L/R	5+5t	7.625"
GM	35604	26034018	447-1776	GM: 90-92 Camaro, Firebird. Splines: 28, Length: 30.31", Holes: 5	28	30.31"		5	
GM	35574	26039423	447-1599	GM: 88-97 S10 Blazer. Splines: 28, Length: 26.69", Holes: 5	28	26.69"		5	
GM	35867	26050549		GM: 98-01 S10/S15 Sm. Blazer, Jimmy, 5 Stud. Splines: 28, Length: 28 13/16", Side: L/R, Holes: 5	28	28 13/16"	L/R	5	7.5"
GM	35605	26058547	447-2367	GM: 98-01 S10/S15/ Sm. Blazer ZR2. Splines: 30, Length: 30.84, Holes: 5	30	30.84"		5	8.5"
GM	35136	26059972	447-2342	GM: 98-02 Camaro, 7.625. Splines: 28, Length: 32", Side: L/R, Holes: 5	28	32"	L/R	5	7.625"
GM	35602	26063146	447-1961	GM: 93-96 Camaro, Firebird. Splines: 28, Length: 31.99", Holes: 5	28	31.99"		5	7.625"
GM	35141	17131		GM: 66-69 GTO/Olds Cutlass, Firebird. Splines: 28, Length: 30.00, Side: L/R, Holes: 5+1	28	30"	L/R	5+1	8.2"
GM	35304	12471329		GM 10.5 14 Bolt, Rear Axle, L: 39" 30 spline, 8 Bolts	30	39.00"		8	

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



JK Dana 44 (35688)

Toyota (35689)

Make	Raj #	OEM #	HLDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Spines	Length"	Side	Holes	Ring Gear
GM	35840	12479285	& 12471369	GM: 03-09 Avalanche, Escalade, Pickup 1/2 ton, Suburban 1/2 ton, Tahoe, Yukon; Splines: 30, Length: 33 3/4", Holes: 6 *compatible with #35839 (ALT 35839)	30	33.75	L/R	6	
GM	35819	1255802	447-1015	GM: 70-81 Camaro, 68-72 Chevelle & El Camino. Splines: 28, Length: 30 1/8", Side: L/R, Holes: 5t+5	28	30.13	L/R	2 Bolt	
GM	35847	14071751	447-1062	GM: 9.875 12 Bolt 71-81 Blazer, Suburban and Pickup. Splines: 30, Length: 31.31, Holes: 5	30	31.31		5	
GM	35692	15286380	447-0190	GM: 07 & up, 2&4wd 1500 & SUV, 8.6", Splines: 30, Length: 34.18", Side: R/L, Holes: 6	30	34.18	R/L	6	
GM	35955	19133409		GM Rainier 2004-2007, AXLE 28 SPLINE 33.30" 6 HOLES C-Clip, LH	28	33.30		6	
GM	35684	26009534R		GM: 88-97 S10 Blazer. Splines: 28, Length: 26 5/8", Side: L/R, Holes: 5	28	26-5/8	LR	5	
GM	35854	26010414	447-1652	GM: 88-91 Blazer, Jimmy, Suburban, Pickup 1/2 Ton. Splines: 30, Length: 31 5/16", Side: L/R, Holes: 6.	30	31 5/16"	L/R	6	8.5"
GM	35857	26010417	447-1670	GM: 88-00 Pickup, 1/2-TON, 92-98 Suburban, Tahoe. Splines: 30, Length: 31 13/16", Side: L/R, Holes: 5	30	31 13/16"	L/R	5	8.5"
GM	35861	26013882	447-1651	GM: 88-97 S10/S15, Sm. Blazer, Jimmy, Sonoma. Splines: 28, Length: 29, Side: L/R, Holes: 5 (ALT 35569)	28	29"	L/R	5	75 / 7625
GM	35685	26015260	447-1861	GM: 91-93 S10/S15/ABS Blazer/Jimmy. Splines: 28, Length: 29", Side: L/R, Holes: 5 (ALT 35568)	28	29.00	L/R	5	7625
GM	35597	26018080	447-1858	GM: 91-96 Buick, Cadillac, Chevy. Splines: 30, Length: 30.33", Holes: 5 (ALT 35864 / 35865)	30	30.33		5	
GM	35866	26019539	447-1870	GM: 7625 C clip Full Size Car. Splines: 26, Length: 30 1/8", Side: L/R	26	30 - 1/8	L/R	5	
GM	35678	26045426		GM 10.5 14 Bolt 2008-96 SILVERADO, AVALANCHE, SIERRIES, SUBURBAN & YKN 2500 SERIES, L 33.375" 30 spline 8 holes.	30	30.38		8	
GM	35822	3969285	447-913	GM: 8.875 68-72 Chevelle, 70-72 Camaro, 12 Bolt. Splines: 30, Length: 30 1/16", Holes: 5+5t	30	30 -1/16		2 Bolt	
GM	35824	3969349		GM: 68-72 Chevy II, 67-69 Camaro, 65-67 Chevelle. Splines: 30, Length: 29 9/16", Side: L/R, Holes: 5	30	29 - 9/16	L/R	5	
GM	35825	3977383		GM: 73-98 Truck, Van, Suburban. Splines: 30, Length: 31 11/16", Side: L/R, Holes: 8	30	31 11/16"	L/R	8	10.5
GM	35936	40019701		GM Rear Axle GM8.6" 30 spln, L-34.09 , 6 Lug	30	34.09		6	
GM	35885	442641R		GM: 92-00, Dana 80. Splines: 37, Length: 36.17, Side: L/R, Holes: 8	37	36.17	L/R	8	
GM	35596		447-58899	GM: 90-up Isuzu Rodeo with GM 7.625". Splines: 28, Length: 28.08, Holes: 6	28	28.08		6	
GM	35978		MG6569	GM 8.875 truck L 30.75" 30 splines RH Bolt 5x5	30	30.75	RH	2 Bolt	
JEEP									
JEEP	35120	5018393	447-2235	JEEP: 97-Up Cherokee XJ, 97-01 Chrysler. Splines: 29, Length: 29 3/4", Side: L/R, Holes: 5	29	29 3/4"	L/R	5	8.25"
JEEP	35834	8127070		JEEP: 2 PC. Axle CJ 76-82. Splines: 29, Length: 26 1/4", Side: L.H., Holes: 5	29	26 1/4"	L.H.	5	
JEEP	35835	8127071		JEEP: 2 PC. Axle CJ 76-82. Splines: 29, Length: 26 1/4", Side: L.H., Holes: 5	29	29"	R.H.	5	
JEEP	35836	8133885		JEEP: 2 PC. Axle CJ 82-86. Splines: 29, Length: 28 1/2", Side: L.H., Holes: 5	29	28 1/2"	L.H.	5	
JEEP	35617	52070350	447-2629	JEEP: 02-up Liberty. Splines: 29, Length: 30.84", Side: L/R, Holes: 5	29	30.84		5	
JEEP	35637	53008134	447-1831	CHY/DODGE: Jeep XJ 91-94 w/Chrysler 8-1/4" Axle, Splines: 27, Length: 29.73", Holes: 5	27	29.73	L/R	5	8.25
JEEP	36145		21110	JEEP: 96-06 Cherokee/Wrangler, Dana 35. Splines: 30, Length: 29 1/8", Side: R, Holes: 5t+5t, Rear Axle	30	29 1/8"	RH	5t+5t	
JEEP	36146		21111	JEEP: 96-06 Cherokee/Wrangler, Dana 35. Splines: 30, Length: 30 5/8", Side: L, Holes: 5t+5t	30	30 5/8"	LH	5t+5t	
JEEP	35174		21100	JEEP AMC Big Axle CJ5 76-83, CJ7 & CJ8 76-81. Splines: 29, Length: 26", Side: LH, Holes: 5t+1	29	23 1/16"	LH	5t+1	M20
JEEP	35175		21101	JEEP: AMC Small Axle CJ5 76-83, CJ7 & CJ8 76-81. Splines: 29, Length: 23 1/16", Side: RH, Holes: 5t+1	29	23 -1/16	RH	6	
JEEP	35176		21102	JEEP: CJ7 & CJ8 82-86. Splines: 29, Length: 25 3/16", Side: LH, Holes: 5t+1	29	25 3/16"	LH	5t+1	M20
JEEP	35177		21103	JEEP: CJ7 & CJ8 82-86. Splines: 29, Length: 28 3/16", Side: RH, Holes: 5t+1	29	28 3/16"	RH	5t+1	M20
JEEP	35178		21104	JEEP: 76-79 CJ7. Splines: 29, Length: 30 7/16", Side: R, Holes: 5t+1	29	30 7/16"	RH	5t+1	M20
JEEP	35179		21105	JEEP: 76-79 CJ7. Splines: 29, Length: 19", Side: L, Holes: 5t+1	29	19"	LH	5t+1	M20
JEEP	35181		21109	JEEP: 86-89 YJ/XJ (Non-Clip) - D35, 30 spline, 30 7/16" length, 5 on 4.5" & 5 on 5.5" bolt circle, Driver side, 1/2" x 20 UNF wheel studs	30	30 7/16"		5t+1	
JEEP	35615			JEEP: M20 Quadratrack RH. Splines: 29, Length: 18.86, Holes: 5	29	18.86		5	
JEEP	35616			JEEP: M20 Quadratrack LH. Splines: 29, Length: 30.31, Holes: 5	29	30.31		5	
JEEP	35622			JEEP: M35, Bolt in, w/o ABS. Splines: 30, Length: 29.0", Holes: 5	30	29.00		5	
JEEP	35623			JEEP: M35, Bolt in, w/o ABS. Splines: 30, Length: 30.50", Holes: 5	30	30.50		5	
JEEP	35624	5012820AA	447-2461R/ 4310767 R	JEEP: WJ 99-04 Grand Cherokee w/ 3.8" 48T ABS, C-Clip, M35. Splines: 27, Length: 30.31", Holes: 5	27	30.31		5	
JEEP	35688	68003272AA		JEEP: 07-16 Wrangler JK, Dana 44, Splines: 30, Length: 31.89", Side: R/L, Holes: 5, Bolt-in, 1541 Steel	30	31.89		5	
JEEP	35121	706162 2X		JEEP Scout 70-80 International Scout. Splines: 30, Length: 28 1/4", Side: L/R, Holes: 5	30	28 1/4"	L/R	5	D44
JEEP	35894	73624 2X	447-1797L/ 5252957	JEEP: 90-92 Cherokee Wrangler Style. D35 Splines: 27, Length: 30 9/16", Side: L, Holes: 5	27	30.54	L	5	
JEEP	35618	73624-1XR	447-1797R / 5252956	JEEP: YJ,XJ 90-91 w/o ABS, C-Clip, M35. Splines: 27, Length: 29.06", Holes: 5	27	29.06		5	
JEEP	35627	73879 1X	5252948	JEEP: YJ,XJ 90-91 w/ 2.7" 54T ABS, C-Clip, M35. Splines: 27, Length: 29.06", Holes: 5	27	29.06		5	

Rear Axle Shafts

Made with 1541 Steel - Axles Marked "C" are made with Chromoly 4140 Steel



JK Dana 44, 4140 Steel (35190)

Make	Raj #	OEM #	HLDR #447+ & Other Ref #	DESCRIPTION / APPLICATION	Splines	Length"	Side	Holes	Ring Gear
JEEP	35626	73879 2X	525949	JEEP: YJ,XJ 90-91 w/ 2.7" 54T ABS, C-Clip, M35. Splines: 27, Length: 30.55", Holes: 5	27	30.55		5	
JEEP	35301	74356-2X		JEEP: 92-02 YJ,XJ Wrangler, w/M35, ABS, C-Clip. Splines: 27, Length: 30.54", Holes: 5	27	30.54		5	
JEEP	35801	74789 1X	4762194	JEEP: 94-98 Grand Cherokee, ABS, Disc Style. Splines: 27, Length: 29 1/8", Side: R, Holes: 5	27	29 1/8"	R	5	D35
JEEP	35896	74789 2XR		JEEP: 94-98 Grand Cherokee, ABS Disc Style. Splines: 27, Length: 30 9/16", Side: L, Holes: 5	27	30 - 9/16"	L	5	
JEEP	35801-30	74789-1X	736241XR	JEEP: 94-98 Grand Cherokee, ABS, Disc Style. Splines: 30, Length: 29 1/8", Side: R, Holes: 5	30	29 - 1/8"	R	5	
JEEP	35613	74871 1X	4856332	JEEP: ZJ 1994 w/ Dana 44 Axle, w/ 54T, 3.5" ABS/ Disc. Splines: 30, Length: 29.26", Holes: 5	30	29.26		5	
JEEP	35614	74871 2X	4856333	JEEP: ZJ 1994 w/ Dana 44 Axle, w/ 54T, 3.5" ABS/ Disc. Splines: 30, Length: 30.25", Holes: 5	30	30.25		5	
JEEP	35899	75786 1XR		JEEP: 97-00 Wrangler Style. Splines: 30, Length: 29 11/16", Side: R, Holes: 5	30	29 - 11/16"	R	5	
JEEP	35118	75786 2X	2416L	JEEP: 97-up Wrangler TJ w/Dana 44 NO NO ABS . Splines: 30, Length: 29 1/4", Side: L, Holes: 5+1	30	29 1/4"	LH	5+1	D44
JEEP	35900	75786 2XR		JEEP: 97-00 Wrangler Style. Splines: 30, Length: 29 1/4", Side: L, Holes: 5	30	29 - 1/4"	L	5	
JEEP	35954	76454-1X		JEEP: D-44 AXLE SHAFT, 31 SPLINE 29.33" 5 HOLES Grand Cherokee 99-02	31	29.33		5	
JEEP	35147-C	Cut to Fit	21112C	JEEP: Grande 44, pass long 4140. Splines: 33, Length: 29.75, Holes: 5t+5+1 - Chromoly	33	29.75		2 Bolt	
JEEP	35182-C	Cut to Fit	21113C	JEEP: Drivers Grande Dana 44. Axle - Driver Short. Splines: 33, Length: 29.25, Holes: 5t+5+1 Chromoly	33	29.25	L	2 Bolt	
JEEP	35183-C	Cut to Fit	21114 C	JEEP: D-60 Rear Semi-Float, Dual Bolt Circle, 5-5.5,+5-4.5 +1 --4140 CHROMOLY. Splines: 33, Length: 29.75, Holes: 5+5+1	33	29.75		2 bolt	
JEEP	35184-C	Cut to Fit	21115C	JEEP: Rear Axle Semi Float, dual bolt, 5-5.5,+5-4.5 +1, 4140 chromoly. Splines: 35, Length: 28 3/4", Holes: 5+5+1	35	28-3/4"		2 Bolt	
JEEP	35185-C	Cut to Fit	21119 C	JEEP: D-60 Rear Semi-Float, Dual Bolt Circle-4140 CHROMOLY. Splines: 30, Length: 24.00, Holes: 5+1	30	24.00		6	
JEEP	35186-C	Cut to Fit	21200 C	JEEP: Dana 44 1987-2006 CHROMO Dual B/C Pass Side Long (12135). Splines: 30, Length: 29 3/4", Holes: 5t+5+1	30	29 -3/4"	RH	2 Bolt	
JEEP	35187-C	Cut to Fit	21201 C	JEEP: Dana 44 1997-2006 CHROMO Dual B/C Drivers Short (12135). Splines: 30, Length: 29 1/4", Holes: 5t+5+1	30	29 - 1/4"	RH	2 Bolt	
JEEP	35188-C	Cut to Fit	21202C	JEEP: 97-06 D-44 (TJ RH), Dual Bolt circle, 5-5.5,+5-4.5 +1, 4140 CHROMOLY. Splines: 35, Length: 29 3/4", Holes: 5t+5+1	35	29 - 3/4"	RH	2 Bolt	
JEEP	35189-C	Cut to Fit	21203 C	JEEP: 97-06 D-44 (TJ LH) L (5T+5+1) 4140 CHROMOLY Splines: 35, Length: 29.25", Holes: 5t+5+1	35	29.25	LH	2 Bolt	
JEEP	35190-C	Cut to Fit	21204 C / RAJ44103-C	JEEP: Wrangler (JK) 07-13, DANA 44. CHROMOLY in 4140 Steel. Splines: 30, Length: 31.49", Side: L/R, Holes: 10, Threaded	30	31.49	L/R	2 Bolt	
JEEP	35191-C	Cut to Fit	21205C	JEEP: Wrangler Rubicon (JK) 07-09 LH, Dana 44 . CHROMOLY. Splines: 32, Length: 31.25", Holes: 5 on 5" bolt circle, Threaded, 1/2" press fit wheel studs	32	31.25	LH	2 Bolt	
JEEP	35192-C	Cut to Fit	21206-C	JEEP: 07-09 Wrangler Rubicon (JK) 07-13 RH Dana 44, CHROMOLY. Splines: 32, Length: 32.50", Holes: 5 on 5" circle, Threaded, 1/2" press fit wheel studs	32	32.50	RH	2 Bolt	
JEEP	35193-C	Cut to Fit	21214 C	JEEP: D-60 Rear Semi Float, With 3.5" Spline, 2 sets of 5 Holes on diff bolt circle w/1" hole-4140 CHROMOLY. Splines: 35, Length: 31.5, Holes: 5+5+1	35	31.50		2 Bolt	
JEEP	35194-C	Cut to Fit	21215 C	JEEP: D-60 Rear Semi-Float, with 3.5" Spline, 2 sets of 5 Holes on diff bolt circle w/1" hole, 4140 CHROMOLY. Splines: 35, Length: 30 3/4", Holes: 5+5+1	35	30-3/4"		2 Bolt	
JEEP	35615	Cut to Fit		JEEP: M20 Quadratrack RH. Splines: 29, Length: 18.86, Holes: 5	29	18.86	RH	5	
JEEP	35645	Cut to Fit		JEEP Early CJ 76-82. Splines: 29, Length: 23.17, Holes: 5	29	23.17		5	
JEEP	35646	Cut to Fit		JEEP: Late CJ 82-86. Splines: 29, Length: 25.30, Holes: 5	29	25.30		5	
JEEP	35647	Cut to Fit		JEEP: Early CJ 76-82 dual heat treated 4140. Splines: 29, Length: 26.12, Holes: 5	29	26.12		5	
JEEP	35648	Cut to Fit		JEEP: Late CJ 82-86. Splines: 29, Length: 28.25, Holes: 5	29	28.25		5	
JEEP	35675-C	Cut to Fit		JEEP: 97-06 Wrangler (TJ), Dana 44 w/o ABS. Chromoly - 4140 BLK. Splines: 30, length: 29 3/4", Side: R, Holes: 5+5+1	30	29-3/4"		2 Bolt	
JEEP	35676-C	Cut to Fit		JEEP: 97-06 Wrangler (TJ), Dana 44 w/o ABS. Chromoly - 4140 BLK. Splines: 30, length: 29 1/4", Side: L, Holes: 5+5+1	30	29-1/4"		2 Bolt	
JEEP	35690-C		447-1799R	JEEP: 84-89 Wrangler, Cherokee (YJ,XJ), D35,Splines: 27, Length: 28.94", Side: R, Holes: 5+2, w/o ABS, 4140 dual black anodized	27	28.94	R	7	
JEEP	35691-C		447-1799L	JEEP: 84-89 Wrangler, Cherokee (YJ,XJ), D35,Splines: 27, Length: 30.31", Side: L, Holes: 5+2, w/o ABS, 4140 black anodized	27	30.31	L	7	
TOYOTA									
TOYO	35172-C		23101 C	TOYOTA: 86-96 Truck Chromoly. Splines: 30, Length: 27.57, Holes: 6	30	27.57"		6	
TOYO	35173-C		23102C	TOYOTA: 95.5-00 Tacoma Chromoly, Splines: 30, Length: 29.25, Holes: 6	30	29.25		6	
TOYO	35689		42311-34040	TOYOTA: 00-06 Tundra, Splines: 30, Length: 32.076", Side: R/L, Holes: 6+1, with ABS, 1541 Steel	30	32.08	L/R	6	
TOYO	35171-C		23100 C	TOYOTA: 79-85, Chromoly. Splines: 30, Length: 26.32", Holes: 6	30	26.32"		6	
TOYO	35695		4310335-R	TOYOTA 4Runner Pickup 1989-86 length 28.35 inch, 6 holes, 30 splines Left	30	28.35	L	6	



The Name You Can Trust & Rely Upon!

Pinion Yokes

Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Spline
CHY	36700		Chrysler 8.75 7290 FORGED 10 SPL YOKE	10
CHY	36701		Chrysler 8.75 7290 FORGED 29 SPL YOKE, SAE 1141	29
CHY	36702		Chrysler 8.75 1350 FORGED 10 SPL YOKE, SAE 1141	10
CHY	36703		Chrysler 8.75 1350 FORGED 29 SPL YOKE, SAE 1141	29
DANA	36704		Dana D60 1350 FORGED YOKE, SAE 1141	29
DANA	36725		Dana 60, 1310 Series, 29 Spline, Ubolt style; YOKE D60-1310-29U Forged, SAE 1141	29
DANA	36732		Dana 44 pinion yoke for 1330 w/ 1 1/8" cups	30
FORD	36705		Ford 8.8 1330 FORGED YOKE, SAE 1141	30
FORD	36706		Ford 8.8 1350 FORGED YOKE, SAE 1141, Ford	30
FORD	36707	F900602	Ford 9" 1330 28 SPL Forged Yoke - Short, SAE 1141, U-joint cap dia 1.11"	28
FORD	36708		Ford 9" 1350 28 SPL FORGED YOKE, SAE 1141	28
FORD	36709		Ford 9" 1350 35 SPL FORGED YOKE, SAE 1141	35
FORD	36722	F900601	Ford 9" 1310 Pinion Yoke SAE 4140 28 Spline. Short narrow design	28
FORD	36723	F91310	Ford 9" FORD 1310-28 SHORT NARROW YOKE SPLINES, SAE 1541	28
GM	36710		GM 12P & 12T 1330 FORGED YOKE, SAE 1141	
GM	36711		GM 12P & 12T 1350 FORGED YOKE, SAE 1141	30
GM	36712		GM 63-79 CI VET INNER, SAE 1141	
GM	36719		GM 8.5 MECHANICS 3R FORGED YOKE, SAE 1141	30
GM	36720		GM 63-69 VET INNER, SAE 1141	
GM	36721		GM 8.5 1350 FORGED YOKE, SAE 1141	30
GM	36730		GM PINION YOKE 1350 10.5 GM 14 BOLT	30
GM	36731		GM: 1410 10.5 GM 14 BOLT PINION YOKE	30



Spindles

Make	Raj #	OEM #	DESCRIPTION / APPLICATION
DANA	41100	DAN 706528X	Dana 44, SAE 1541 H: 1973-1976-1/2 Chevy & GMC 1/2 Ton K10 Pickup, K5 Blazer, Jimmy, & Suburban, 1974-1976 Jeep Wagoneer & Cherokee, 66-77 Ford Bronco
DANA	41101	DAN 706529X	Dana 44 SAE 1541 H: Late 77-87 Chevy & GMC 1/2 Ton K10 Pickup, K5 Blazer, Jimmy, & Suburban, Corporate 8-1/2", 88-91 Chevy Blazer
DANA	41102	DAN 706552X	Dana, SAE 1541 H: 76-79 Bronco / F150 Ford Spindle
DANA	41103	DAN 700013	Dana 60, SAE 1541 H: for GM and Dodge 1 ton trucks
DANA	41104	DAN 700022	Dana 60, SAE 1541 H: 78-97 Ford Front
DANA	41105	DAN 38422	Dana 44, SAE 1541 H: 76-77 F250 Ford Spindle
DANA	41106	DAN 700004	Dana 44, SAE 1541 H: 77 1/2 - 79 F250 Ford Spindle
DANA	41109	DAN 50	Dana 50, IFS Spindle 80-98 F250 & F350



Pinion Supports

Make	Raj #	OEM #	DESCRIPTION / APPLICATION
FORD	41401		Ford 9"- Pinion Support Cast Iron - (Daytona) Small Bearing Yoke Side, Large Opp Side.
FORD	41402		Ford 9"- Pinion Support Small Bearing on Both Sides
FORD	41420		Ford 9"- 5 Bolt Aluminum Pinion Support, Black
FORD	41421		Ford 9"- 5 Bolt Aluminum Daytona Pinion Support, Silver
FORD	41422		Ford 9"- 10 Bolt Aluminum Pinion Support, Silver



Quality & Satisfaction Guaranteed!

Spools

Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Spline	Ring Gear
CHY	44059		Chrysler ULW Scalloped Flange C 8.75-30	30	8.75"
CHY	44060		Chrysler Light Weight C8-35	35	8"
CHY	44100		Chrysler 8.75 CHY 30 Spline Steel Spool	30	8.75
CHY	44112		Chrysler Spool LW C8-35 8" - 35 spln 7"/179.30 mm, SAE 4140	35	9"
DANA	44000	M D44-30	Dana 44 Spool for standard open carrier case	30	D-44
DANA	44001	FSD60-4-30	Dana 60, 4.56 & up, 30 Spline	30	D-60
DANA	44106		Dana 60 35 Spline Full Spool 4.10 ratio	35	D60
DANA	44107		Dana 60 35 Spline Full Spool 4.56 ratio	35	D60
DANA	44108		Dana 44 30 Spline Full Spool 3.92 ratio	30	D44
DANA	44003-S		Dana 60 FL SPL DANA 60 30 SPL 4.1, 4.10 & DOWN 30 SPLINE (Standard)	30	D60
DANA	44500	MSD44D-30	Dana 44 Fits into a standard open Dana 44 carrier case, MINI SPOOL	30	D44
FORD	44050		Ford Light Weight FS 8.8 -31	31	8.8"
FORD	44051		Ford Light Weight FS 8.8 -33	33	8.8"
FORD	44103		Ford 9" 28 Spline Light Weight Spool	28	9"
FORD	44104		Ford 9" 31 Spline Light weight spool	31	9"
FORD	44105		Ford 9" 35 Spline Lightweight Spool	35	9"
FORD	44109		Ford 9" 28 Spline Mini Spool	28	9"
FORD	44110		Ford 9" 31 Spline Mini Spool	31	9"
FORD	44052	MS88-31	FORD: Mini Spool Ford 8.8" 31 Spline	31	8.8
FORD	44113		FORD: 9" Ford 35 Spline Small Bearing Spool, SAE 4140	35	9"
FORD	44114		FORD: 9" Ford 35 Spline Large Bearing Spool, SAE 4140	35	9"
FORD	44115		FORD: 9" Ford 40 Spline Spool, SAE 4140	40	9"
FORD	44116		FORD: 9" Ford Drag Spool, FS31, SAE 4140	31	9"
FORD	44117		FORD: 9" Ford Drag Spool, FS28, SAE 4140	28	9"
FORD	44200		FORD: 9" Ford New Hardened Steel 28 Spline Mini Spool	28	9"
GM	44002	FSGMI4T-30	GM 14 Bolt Truck, 4.10 & down, 1.5" 30 Spline	30	14T
GM	44055		GM Light Weight SPOOL GM 12-30	30	725
GM	44056		GM Light Weight SPOOL GM 12-33	33	75
GM	44054	MS75-28	GM Mini Spool GM 75" 28 SPL	28	75
GM	44057	78-7526-1	GM Mini Spool GM 75 26 Spline	26	75
JEEP	44003	FSM20-3-29	AMC Modlel 20, 3.08 & up, 29 Spline	29	M20
TOY	44101		Toyota 8" TOY TRK 30 Spline Steel Spool	30	T-8
TOY	44102		Toyota V6 TOY 30 Splines Steel Spool	30	TV6



GM 14 Bolt (44002)



AMC 20 (44003)



GM Mini 7.5 (44057)



Ford 9" (44103)



Ford 9" Mini (44109)

Third Member Dropout Cases

Make	Raj #	OEM #	DESCRIPTION / APPLICATION	Material	Bearing Size
CHY	46002-L		Chrysler 8.75 Drop Out Housing Nodular Iron 489 / LOCK TYPE / with 4140 Steel Forging Bearing Cap	Nodular Iron	3.26
CHY	46002		Chrysler 8.75 Drop Out Housing 742 Nodular Iron - BOLT Style	Nodular Iron	3.26
FORD	46005		Ford 9" Dropout Housing 4140 Forged 2.89"	Nodular Iron	2.89
FORD	46004	26306A	Ford 9" Dropout Housing 3.062" Bearing JRNL, Aluminum Heat Treated Forged caps	Aluminum	3.062
FORD	46000	26325A	Ford 9" Dropout Housing 3.250" Bearing JRNL Forged Caps Aluminum	Aluminum	3.25
FORD	46001	26305	Ford 9" Dropout Housing 3.250" Bearing JRNL Forged Caps Nodular Iron	Nodular Iron	3.25
FORD	46003	26304	Ford 9" Housing Nodular Iron 3.062" Bearing JRNL / Forged Caps	Nodular Iron	3.062



Ford 9" 2.89 (46005)



Ford 9" 3.250 (46001)

U-Joints

Make	Raj #	OEM #	DESCRIPTION / APPLICATION
DANA	40075		DANA: D-60 SUPER JOINT (Needleless)
DANA	40076		DANA: D-44 SUPER JOINT (Needleless)
	40077		Ujoint for front Axles Assembly 5-733 X. Alloy Steel
	40078		Ujoint for Front Axles Assembly 5-760 X. Alloy Steel
FORD	46000	26325A	Ford 9" Dropout Housing 3.250 Bearing JRNL Forged Caps Aluminum
FORD	46001	26305	Ford 9" Dropout Housing 3.250 Bearing JRNL Forged Caps Nodular Iron
FORD	46003	26304	Ford 9" Housing Nodular Iron 3.062 Bearing JRNL / Forged Caps



Dana 44 (40076)



5-760X (40078)

Miscellaneous Parts

Category	Raj #	Other Ref. #	DESCRIPTION / APPLICATION	Teeth	OD	ID
ABS RINGS						
	12633	For Raj # 35613, 35614	ABS Ring Fits Axles -OE#s 4856332 / 74871-1X / OE# 4856333/ 74871-2X] / OE# 4762194/ 74789-1X	54	3.46	1.7
	12638	For Raj # 35626,35627	ABS Ring Fits Axles OE#s 5252948 / 73879-1X / 5252949/ 73879-2X	54	2.67	1.7
	12646	For Raj # 35522,35800	ABS Ring Fits Axles OE#s -F2AZ4234B / F8AZ4234DA/ F8AZ4234DA	48	3.6	2.76
	12659	For Raj #35553, 35681	ABS Ring Fits Axles OE#s-3W1Z4234KA/6W1Z4234A	35	3.6	2.8
	12660	For Raj # 35190	ABS Ring 52 teeth, Jeep: JK, 07 & up, D44, Overall thickness .640"	52	3.535	2.950
	12662	For 95-2152-TR	Tone Ring JL Rubicon JT Rear			
	12663	For 95-2052-TR	Tone Ring JK Rubicon Dana 44			
	12664	For 95-2149-TR	Tone Ring JL Non Rubicon			
RETAINER PLATES						
	43101		FORD 9" RETAINER PLATE SMALL 3.5 x 2" (LxW)			
	43100		FORD 9" RETAINER -PLATE LARGE 3.5 x 2.3/8" (LxW)			
	43102		FORD 9" RETAINER PLATE, Big Bearing Hole .375			
AXLE STUDS						
	30140		Axle Stud/Bolts 1/2 x 1.5" length			
	30141		Axle Stud for 75", 8.8", 9" size 2"x1/2" - 20TPI			
	30170		Bolt 1/2" 20 AXLE STUD for F9" /Mopar			
	30171		BOLT 7/16 20TPI for GM			
	30180	95-1220-2	For Axles Drilled And Tapped 1/2"-20 1/2"-20 x 3" Grade 8 Fully Threaded Bolt 3/4" wrench size			
LOCKING HUB						
	11520-B		Locking Hub GEAR 35 spline with 5/16" thread			
SPINDLE NUTS						
	11521		DANA: D60 - Spindle - Nut & washer (3 pc set)			
	11525	D44 spindle Nut	DANA: D44 Spindle Nut set of 3 (3 Pcs.)			
CLUTCH GUIDE						
	42000	GM9778355	GM CLUTCH GUIDES GM 9778355- CLUTCH PLATE EAR GUIDE FOR EATON LSD & DURA GRIP STYLE POSI.			
BEARING PULLER TOOLS						
	29101-N		Bearing Puller set -RED/BLUE -Differential Case Bearing removal tool for most differentials up to Ford 10.5" *no white clamshell*			
	29101-Y	80-BRGPLLR	Bearing Puller set -YELLOW/BLACK - Differential Case Bearing removal tool for most differentials up to Ford 10.5" and Dana 80 *includes large white clamshell			
	29101-CW	80-2080	WHITE CLAM SHELL (PART OF DIFF BRNG PULLER 29101)			
	29105	YT P70	BEARING PULLER SET - NEW Compatible with D-44 Rear F 9" Works on most Pressed on Axle Bearings			



Parts for Special Orders From Our Established Network of Manufactures.

We can source special order and a range of other Quality Automotive Components.

- RING & PINION SETS (in 8620 Steel)
- OIL SEALS
- FASTNERS ALL KINDS
- GASKETS
- SHEET METAL PARTS
- CUSTOM BLANK FORGINGS
- TRANSMISSION GEARS
- BLANK REAR OR FRONT AXLES FOR MANUFACTURERS
- HEAVY DUTY AXLES & OTHER PARTS
- CUSTOM PARTS MADE TO YOUR SPECS

If We Don't Have it, We Will Try to Find it for You!

Services Provided as Sourcing Agents

You decide the level of involvement you require. We can work with your Manufacturers or our Manufacturers Network. We have our own Established Office in India.

- Customize your Visit to Indian Factories.
- Connect you with New Reputable Manufacturers for Sourcing New Products.
- Assist in Developing New Parts from your Drawings or Samples.
- Help in Negotiating Best Prices or you can Deal Direct with Manufacturers.
- Follow Up from First Article Samples through Production and Final Shipments.
- Arrange Inspection of Merchandise Before Shipping.
- Can Coordinate and Consolidate Shipments from Various Manufactures in One Lot.
- Can Import & Custom Clear in USA.
- Deliver to your Door.
- We Only Charge a Small Negotiable Commission for our Service which you Pay only After You Have Received the Shipment and are Fully Satisfied.

Don't Miss Our Bargains!
Cheaper than Buying Direct from Overseas Manufacturers.
Closeouts • Specials • Overstocks • Make Deals

CONTACT FOR CURRENT LIST



Let's Make a Deal!



Immediate Deliveries

Guaranteed Best Prices on Drivetrain Parts

We Service Customers in USA, Canada, Australia & Mexico

Parts for Jeeps



Parts for Mustangs



- LARGE SELECTION OF DIFFERENTIAL PARTS
- FORD 9" CUT TO FIT AXLES
- OFF-ROAD UPGRADED PARTS
- AFTER MARKET REPLACEMENT PARTS
- LOCKERS
- FRONT AXLE ASSEMBLIES
- CUSTOM BLANK FRONT & REAR AXLES
- CUSTOM BLANK FORGINGS & CASTINGS

All Kinds of Parts for Ford 9"



Sourcing • Development • Inspection • Consolidation

We Welcome your Suggestions & Feedback to Improve our Services and Product Lines.

Raj India Autoparts Outsourcing

1077 Thomas Busch Memorial Hwy - Pennsauken - NJ 08110

P.O. Box 1572, Mount Laurel, NJ 08054 USA

360-658-1855 • Info@RajIndiaAutoparts.com • www.RajIndiaAutoparts.com

Disclaimer: We sell Aftermarket Replacement Parts.

We are NOT affiliated with any major Manufacturers & Brand names mentioned in this catalog. Names and #s are mentioned for reference only.